

High Pressure Processing References - B

Balasubramanian, S. and Balasubramanian, V.M. 2003. Compression heating influence of pressure transmitting fluids on bacteria inactivation during high pressure processing. *Food Research International* 36: 661-668.

Balasubramanian, V.M., Farkas, D., and Turek, E.J. 2008. Preserving foods through high-pressure processing. *Food Technology* 62(11): 33-38.

Balasubramanian, V.M., Ting, E.Y., Stewart, C.M., and Robbins, J.A. 2004. Recommended laboratory practices for conducting high-pressure microbial inactivation experiments. *Innovative Food Science and Emerging Technologies*. 5: 299-306.

Ballestra, P. and Cuq, J.-L. 1998. Influence of pressurized carbon dioxide on the thermal inactivation of bacterial and fungal spores. *Lebensmittel-Wissenschaft und-Technologie* 31: 84-88.

Bang, W.-S. and Swanson, B.G. 2008. Scanning electron microscopy studies of *Saccharomyces cerevisiae* structural changes by high hydrostatic pressure treatment. *Food Science and Biotechnology* 17(5): 1102-1105.

Barbosa-Canovas, G.V. and Rodriguez, J.J. 2002. Update on nonthermal food processing technologies: pulsed electric field, high hydrostatic pressure, irradiation and ultrasound. *Food Australia* 54(11): 513-520.

Barciszewski, J., Jurczak, J., Porowski, S., Specht, T., and Erdmann, V.A. 1999. The role of water structure in conformational changes of nucleic acids in ambient and high-pressure conditions. *European Journal of Biochemistry* 260: 293-307.

Bari, M.L., Ukuku, D.O., Mori, M., Kawamoto, S., and Yamamoto, K. 2008. Effect of hydrostatic pressure pulsing on the inactivation of *Salmonella* Enteritidis in liquid whole egg. *Foodborne Pathogens and Disease* 5(2): 175-182.

Bari, Md. L., Ukuku, D.O., Mori, M., Kawamoto, S., and Yamamoto, K. 2007. Effect of high-pressure treatment on survival of *Escherichia coli* O157:H7 population in tomato juice. *Journal of Food, Agriculture & Environment* 5(1): 111-115.

Baron, A., Denes, J.-M., and Durier, C. 2006. High-pressure treatment of cloudy apple juice. *LWT-Food Science and Technology* 39: 1005-1013.

Basak, S., Ramaswamy, H.S., and Piette, J.P.G. 2002. High pressure destruction kinetics of *Leuconostoc mesenteroides* and *Saccharomyces cerevisiae* in single strength and concentrated orange juice. *Innovative Food Science and Emerging Technologies* 3: 223-231.

Basak, S., Ramaswamy, H.S., and Simpson, B.K. 2001. High pressure inactivation of pectin methyl esterase in orange juice using combination treatments. *Journal of Food Biochemistry* 25: 509-526.

Basak, S. and Ramaswamy, H.S. 1996. Ultra high pressure treatment of orange juice: a kinetic study on inactivation of pectin methyl esterase. *Food Research International* 29(7): 601-607.

Bauer, B.A., and Knorr, D. 2005. The impact of pressure, temperature and treatment time on starches: Pressure-induced starch gelatinisation as pressure time temperature indicator for high hydrostatic pressure processing. *Journal of Food Engineering* 68: 329-334.

Baxter, I.A., Easton, K., Schneebeli, K., and Whitfield, F.B. 2005. High pressure processing of Australian navel orange juices: Sensory analysis and volatile flavor profiling. *Innovative Food Science and Emerging Technologies* 6: 372-387.

Bayindirli, A., Alpas, H., Bozoglu, F., and Hizal, M. 2006. Efficiency of high pressure treatment on inactivation of pathogenic microorganisms and enzymes in apple, orange, apricot and sour cherry juices. *Food Control* 17: 52-58.

Beilken, S.L., MacFarlane, J.J., and Jones, P.N. 1990. Effects of high pressure during heat treatment on the Warner-Bratzler shear force values of selected beef muscles. *Journal of Food Science* 55(1): 15-18, 42.

Belloque, J., Chicón, R., and López-Fandiño, R. 2007. Unfolding and refolding of β -lactoglobulin subjected to high hydrostatic pressure at different pH values and temperatures and its influence on proteolysis. *Journal of Agricultural and Food Chemistry* 55(13): 5282-5288.

Benito A., Ventoura, G., Casadei, M., Robinson, T., and Mackey, B. 1999. Variation in resistance of natural isolates of *Escherichia coli* 0157 to high hydrostatic pressure, mild heat, and other stresses. *Applied and Environmental Microbiology* 65(4): 1564-1569.

Berlin, D.L., Herson, D.S., Hicks, D.T., and Hoover, D.G. 1999. Response of pathogenic *Vibrio* species to high hydrostatic pressure. *Applied and Environmental Microbiology* 65(6): 2776-2780.

Berry, B.W., Campbell, A.M., Spanier, A.M., and Solomon, M.B. 2004. Effect of koshering and hydrodynamic pressure on beef color, odor, and microbial loads. *Journal of Muscle Foods* 15: 69-82.

Bertram, H.C., Wu, Z., Straadt, I.K., Aagaard, M., and Aaslyng, M.D. 2006. Effects of pressurization on structure, water distribution, and sensory attributes of cured ham: Can pressurization reduce the crucial sodium content? *Journal of Agricultural and Food Chemistry* 54: 9912-9917.

- Bevilacqua, A., Cibelli, F., Corbo, M.R., and Sinigaglia, M. 2007. Effects of high-pressure homogenization on the survival of *Alicyclobacillus acidoterrestris* in a laboratory medium. *Letters in Applied Microbiology* 45: 382-386.
- Black, E.P., Linton, M., McCall, R.D., Curran, W., Fitzgerald, G.F., Kelly, A.L., and Patterson, M.F. 2008. The combined effects of high pressure and nisin on germination and inactivation of *Bacillus* spores in milk. *Journal of Applied Microbiology* 105: 78-87.
- Black, E.P., Setlow, P., Hocking, A.D., Stewart, C.M., Kelly, A.L., and Hoover, D.G. 2007. Response of spores to high-pressure processing. *Comprehensive Reviews in Food Science and Food Safety* 6: 103-119.
- Black, E.P., Wei, J., Atluri, S., Cortezzo, D.E., Koziol-Dube, K., Hoover, D.G., and Setlow, P. 2007. Analysis of factors influencing the rate of germination of spores of *Bacillus subtilis* by very high pressure. *Journal of Applied Microbiology* 102: 65-76.
- Black, E.P., Kelly, A.L., and Fitzgerald, G.F. 2005. The combined effect of high pressure and nisin on inactivation of microorganisms in milk. *Innovative Food Science and Emerging Technologies* 6: 286-292.
- Black, E.P., Koziol-Dube, K., Guan, D., Wei, J., Setlow, B., Cortezzo, D.E., Hoover, D.G., and Setlow, P. 2005. Factors influencing germination of *Bacillus subtilis* spores via activation of nutrient receptors by high pressure. *Applied and Environmental Microbiology* 71(10): 5879-5887.
- Błaszczak, W., Bidzińska, E., Dyrek, K., Fornal, J., and Wenda, E. 2008. Effect of high hydrostatic pressure on the formation of radicals in maize starches with different amylose content. *Carbohydrate Polymers* 74: 914-921.
- Błaszczak, W., Doblado, R., Frias, J., Vidal-Valverde, C., Sadowska, J., and Fornal, J. 2007. Microstructural and biochemical changes in raw and germinated cowpea seeds upon high-pressure treatment. *Food Research International* 40: 415-423.
- Błaszczak, W., Fornal, J., Kiseleva, V.I., Yuryev, V.P., Sergeev, A.I., and Sadowska, J. 2007. Effect of high pressure on thermal, structural and osmotic properties of waxy maize and Hylon VII starch blends. *Carbohydrate Polymers* 68: 387-396.
- Błaszczak, W., Misharina, T.A., Yuryev, V.P., and Fornal, J. 2007. Effect of high pressure on binding aroma compounds by maize starches with different amylose content. *LWT- Food Science and Technology* 40: 1841-1848.
- Boff, J.M., Truong, T.T., Min, D.B., and Shellhammer, T.H. 2003. Effect of thermal processing and carbon dioxide-assisted high-pressure processing on pectinmethylesterase and chemical changes in orange juice. *Journal of Food Science* 68(4): 1179-1184.

Boillereaux, L., Fibrianto, H., and Flaus, J.M. 2005. A switched Kalman filter dedicated to assisted pressure food thawing. *Computers and Electronics in Agriculture* 49: 392-406.

Boillereaux, L., Chourot, J.M., and Havet, M. 1999. Nonlinear trajectory control of high pressure thawing. *Journal of Process Control* 9: 351-356.

Bouaouina, H., Desrumaux, A., Loisel, C., and Legrand, J. 2006. Functional properties of whey proteins as affected by dynamic high-pressure treatment. *International Dairy Journal* 16: 275-284.

Bouton, P.E., Harris, P.V., and MacFarlane, J.J. 1980. Pressure-heat treatment of meat: effect of prior aging treatments on shear properties. *Journal of Food Science* 45: 276-278.

Bouton, P.E., Harris, P.V., MacFarlane, J.J., and O'Shea, J.M. 1978. Pressure-heat treatment of meat: effect on connective tissue. *Journal of Food Science* 43: 301-303, 326.

Bouton, P.E., Ford, A.L., Harris, P.V., MacFarlane, J.J., and O'Shea, J.M. 1977. Pressure-heat treatment of postrigor muscle: effects on tenderness. *Journal of Food Science* 42: 132-135.

Bonev, B.B. and Morrow, M.R. 1998. ²H NMR studies of dipalmitoylphosphatidylcholine and dipalmitoylphosphatidylcholine-cholesterol bilayers at high pressure. *Canadian Journal of Chemistry* 76: 1512-1519.

Bonev, B.B. and Morrow, M.R. 1997. Effect of pressure on the dimyristoyl-phosphatidylcholine bilayer main transition. *Physical Review E* 55(5): 5825-5833.

Bonev, B. and Morrow, M.R. 1996. Effects of hydrostatic pressure on bilayer phase behavior and dynamics of dilauroylphosphatidylcholine. *Biophysical Journal* 70: 2727-2735.

Bradley, D.W., Hess, R., Tao, F., Sciaba-Lentz, L., Remaley, A., Laugharn, J., and Manak, M. 2000. Pressure cycling technology: a novel approach to virus inactivation in plasma. *Transfusion* 40: 193-200.

Bragagnolo, N., Danielsen, B., and Skibsted, L.H. 2007. Rosemary as antioxidant in pressure processed chicken during subsequent cooking as evaluated by electron spin resonance spectroscopy. *Innovative Food Science and Emerging Technologies* 8: 24-29.

Braganza, L.F. and Worcester, D.L. 1986. Hydrostatic pressure induces hydrocarbon chain interdigitation in single-component phospholipids bilayers. *Biochemistry* 25(9): 2591-2596.

Bridgman, P.W. 1914. The coagulation of albumen by pressure. *Proceedings of American Academy of Arts and Sciences* XLIX: 627.

Briñez, W.J., Roig-Sagués, A.X., Herrero, M.M.H., and López, B.G. 2007. Inactivation of *Staphylococcus* spp. strains in whole milk and orange juice using ultra high pressure homogenization at inlet temperatures of 6 and 20°C. *Food Control* 18: 1282-1288.

Brinez, W.J., Roig-Sagues, A.X., Herrero, M.M.H., and Lopez, B.G. 2006. Inactivation by ultrahigh-pressure homogenization of *Escherichia coli* strains inoculated into orange juice. *Journal of Food Protection* 69(5): 984-989.

Briñez, W.J., Roig-Sagués, A.X., Herrero, M.M.H., and López, B.G. 2006. Inactivation of *Listeria innocua* in milk and orange juice by ultrahigh-pressure homogenization. *Journal of Food Protection* 69(1): 86-92.

Brown, A., Skanes, I., and Morrow, M.R. 2004. Pressure-induced ordering in mixed-lipid bilayers. *Physical Review E* 69: 011913-1 – 011913-9.

Brown, P., Meyer, R., Cardone, F., and Pocciari, M. 2003. Ultra-high-pressure inactivation of prion infectivity in processed meat: A practical method to prevent human infection. *Proceedings of the National Academy of Sciences* 100(10): 6093-6097.

Brul, S., Rommens, A.J.M., and Verrips, C.T. 2000. Mechanistic studies on the inactivation of *Saccharomyces cerevisiae* by high pressure. *Innovative Food Science and Emerging Technologies* 1: 99-108.

Buckow, R., Isbarn, S., Knorr, D., Heinz, V., and Lehmacher, A. 2008. Predictive model for inactivation of feline calicivirus, a norovirus surrogate, by heat and high hydrostatic pressure. *Applied and Environmental Microbiology* 74(4): 1030-1038.

Buckow, R., Heinz, V., and Knorr, D. 2007. High pressure phase transition kinetics of maize starch. *Journal of Food Engineering* 81: 469-475.

Buffa, M., Guamis, B., and Trujillo, A.J. 2005. Specific effect of high-pressure treatment of milk on cheese proteolysis. *Journal of Dairy Research* 72: 385-392.

Buffa, M., Buenaventura, G., Saldo, J., and Trujillo, A.J. 2003. Changes in organic acids during ripening of cheeses made from raw, pasteurized or high-pressure-treated goats' milk. *Swiss Society of Food Science and Technology* 37: 247-253.

Buffa, M., Guamis, B., Pavia, M., and Trujillo, A.J. 2001. Lipolysis in cheese made from raw, pasteurized or high-pressure treated goats' milk. *International Dairy Journal* 11: 175-179.

Buffa, M., Guamis, B., Royo, C., and Trujillo, A.J. 2001. Microbiological changes throughout ripening of goat cheese made from raw, pasteurized and high-pressure-treated milk. *Food Microbiology* 18: 45-51.

Buffa, M.N., Trujillo, A.J., Pavia, M., and Guamis, B. 2001. Changes in textural, microstructural, and colour characteristics during ripening of cheeses made from raw, pasteurized or high-pressure-treated goats' milk. *International Dairy Journal* 11: 927-934.

Bull, M.K., Hayman, M.M., Stewart, C.M., Szabo, E.A., and Knabel, S.J. 2005. Effect of prior growth temperature, type of enrichment medium, and temperature and time of storage on recovery of *Listeria monocytogenes* following high pressure processing of milk. *International Journal of Food Microbiology* 101: 53-61.

Bull, M.K., Szabo, E.A., Cole, M.B., and Stewart, C.M. 2005. Toward validation of process criteria for high-pressure processing of orange juice with predictive models. *Journal of Food Protection* 68(5): 949-954.

Burns, P., Patrignani, F., Serrazanetti, D., Vinderola, G.C., Reinheimer, J.A., Lanciotti, R., and Guerzoni, M.E. 2008. Probiotic Crescenza cheese containing *Lactobacillus casei* and *Lactobacillus acidophilus* manufactured with high-pressure homogenized milk. *Journal of Dairy Science* 91: 500-512.

Butz, P., Bognar, A., Dieterich, S., and Tauscher, B. 2007. Effect of high-pressure processing at elevated temperatures on thiamin and riboflavin in pork and model systems. *Journal of Agricultural and Food Chemistry* 55: 1289-1294.

Butz, P., Serfert, Y., Fernandez Garcia, A., Dieterich, S., Lindauer, R., Bognar, A., and Tauscher, B. 2004. Influence of high-pressure treatment at 25° C and 80° C on folates in orange juice and model media. *Journal of Food Science* 69(3): SNQ117-SNQ121.

Butz, P., Edenharter, R., Fernandez Garcia, A., Fister, H., Merkel, C., and Tauscher, B. 2002. Changes in functional properties of vegetables induced by high pressure treatment. *Food Research International* 35: 295-300.

Butz, P., Fernandez Garcia, A., Lindauer, R., Dieterich, S., Bognar, A., and Tauscher, B. 2003. Influence of ultra high pressure processing on fruit and vegetable products. *Journal of Food Engineering* 56: 233-236.

Butz, P. and Tauscher, B. 2002. Emerging technologies: chemical aspects. *Food Research International* 35: 279-284.

Butz, P. and Tauscher, B. 2000. Recent studies on pressure-induced chemical changes in food constituents. *High Pressure Research* 19: 11-18.

Butz, P., Fernandez, A., Fister, H., and Tauscher, B. 1997. Influence of high hydrostatic pressure on aspartame: instability at neutral pH. *Journal of Agricultural and Food Chemistry* 45: 302-303.

Butz, P., Edenharder, R., Fister, H., and Tauscher, B. 1997. The influence of high pressure processing on antimutagenic activities of fruit and vegetable juices. *Food Research International* 30(3/4): 287-291.

Butz, P., Funtenberger, S., Haberditzl, T., and Taischer, B. 1996. High pressure inactivation of *Byssochlamys nivea* ascospores and other heat resistant moulds. *Lebensmittel-Wissenschaft und-Technologies* 29: 404-410.

Buzrul, S., Alpas, H., Largeteau, A., Bozoglu, F., and Demazeau, G. 2008. Compression heating of selected pressure transmitting fluids and liquid foods during high hydrostatic pressure treatment. *Journal of Food Engineering* 85: 466-472.

Buzrul, S., Alpas, H., Largeteau, A., and Demazeau, G. 2008. Inactivation of *Escherichia coli* and *Listeria innocua* in kiwifruit and pineapple juices by high hydrostatic pressure. *International Journal of Food Microbiology* 124: 275-278.

Buzrul, S., Alpas, H., Largeteau, A., and Demazeau, G. 2008. Modeling high pressure inactivation of *Escherichia coli* and *Listeria innocua* in whole milk. *European Food Research and Technology* 227: 443-448.

Buzrul, S., Cevik, M., and Alpas, H. 2008. Comparison of response surface methodology and the proposed Weibull model for inactivation of *Listeria innocua* by high hydrostatic pressure. *Journal of Food Safety* 28: 142-156.

Buzrul, S., Alpas, H., and Booglu, F. 2005. Effect of high hydrostatic pressure on quality parameters of lager beer. *Journal of the Science of Food and Agriculture* 85: 1672-1676.

Buzrul, S., Alpas, H., and Bozoglu, F. 2005. Use of Weibull frequency distribution model to describe the inactivation of *Alicyclobacillus acidoterrestris* by high pressure at different temperatures. *Food Research International* 38: 151-157.