

## **High Pressure Processing References - C**

- Calik, H. and Morrissey, M.T. 2002. Piling the pressure on the pathogens. *Food Technology International* 105-107.
- Calik, H., Morrissey, M.T., Reno, P.W., and An, H. 2002. Effect of high-pressure processing on *Vibrio parahaemolyticus* strains in pure culture and Pacific oysters. *Journal of Food Science* 67(4): 1506-1510.
- Campos, F.P. and Cristianini, M. 2007. Inactivation of *Saccharomyces cerevisiae* and *Lactobacillus plantarum* in orange juice using ultra high-pressure homogenisation. *Innovative Food Science and Emerging Technologies* 8: 226-229.
- Campus, M., Flores, M., Martinez, A., and Toldrá, F. 2008. Effect of high pressure treatment on colour, microbial and chemical characteristics of dry cured loin. *Meat Science* 80: 1174-1181.
- Caner, C. and Harte, B. 2004. Effect of high-pressure processing on the migration of antioxidant Irganox 1076 from polypropylene film into a food stimulant. *Journal of the Science of Food and Agriculture* 85: 39-46.
- Caner, C., Hernandez, R.J., and Harte, B.R. 2004. High-pressure processing effects on the mechanical, barrier and mass transfer properties of food packaging flexible structures: a critical review. *Packaging Technology and Science* 17: 23-29.
- Caner, C., Hernandez, R.J., Pascall, M., Balasubramaniam, V.M., and Harte, B.R. 2004. The effect of high-pressure food processing on the sorption behaviour of selected packaging materials. *Packaging Technology and Science* 17: 139-153.
- Caner, C., Hernandez, R.J., Pascall, M.A., and Riemer, J. 2003. The use of mechanical analyses, scanning electron microscopy and ultrasonic imaging to study the effects of high-pressure processing on multilayer films. *Journal of the Science of Food and Agriculture* 83(11): 1095-1103.
- Caner, C., Hernandez, R.J., and Pascall, M.A. 2000. Effect of high-pressure processing on the permeance of selected high-barrier laminated films. *Packaging Technology and Science* 13: 183-195.
- Cano, M.P., Hernandez, A., and De Ancos, B. 1997. High pressure and temperature effects on enzyme inactivation in strawberry and orange products. *Journal of Food Science* 62(1): 85-88.
- Capellas, M., Mor-Mur, M., Sendra, E., and Guamis, B. 2001. Effect of high-pressure processing on physico-chemical characteristics of fresh goats' milk cheese (*Mató*). *International Dairy Journal* 11: 165-173.

Capellas, M., Mor-Mur, M., Gervilla, R., Yuste, J., and Guamis, B. 2000. Effect of high pressure combined with mild heat or nisin on inoculated bacteria and mesophiles of goat's milk fresh cheese. *Food Microbiology* 17: 633-641.

Carballo, J., Fernandez, P., Carrascosa, A.V., Solas, M.T., and Jiminez Colmenero, F. 1997. Characteristics of low- and high-fat beef patties: effect of high hydrostatic pressure. *Journal of Food Protection* 60(1): 48-53.

Carey, P.G., Knowles, F., and Gibson, Q.H. 1977. Effects of hydrostatic pressure on ligand binding to hemoglobin. *The Journal of Biological Chemistry* 252(12): 4102-4107.

Carlez, A., Veciana-Nogues, T., and Cheftel, J. 1995. Changes in colour and myoglobin of minced beef meat due to high pressure processing. *Lebensmittel- Wissenschaft und-Technologie* 28: 528-538.

Carlez, A., Rosec, J., Richard, N., and Cheftel, J. 1994. Bacterial growth during chilled storage of pressure-treated minced meat. *Lebensmittel-Wissenschaft und-Technologie* 27: 48-54.

Carlez, A., Rosec, J., Richard, N., and Cheftel, J. 1993. High pressure inactivation of *Citrobacter freundii*, *Pseudomonas fluorescens* and *Listeria innocua* in inoculated minced beef muscle. *Lebensmittel-Wissenschaft und-Technologie* 26: 357-363.

Carpi, G., Gola, S., Maggi, A., Rovere, P., and Buzzoni, M. 1995. Microbial and chemical shelf-life of high-pressure treated salmon cream at refrigeration temperatures. *Industria Conserve* 70: 386-397.

Carroll, T., Chen, P., and Fletcher, A. 2003. A method to characterize heat transfer during high-pressure processing. *Journal of Food Engineering* 60: 131-135.

Casadei, M.A., Manas, P., Niven, G., Needs, E., and Mackey, B.M. 2002. Role of membrane fluidity in pressure resistance of *Escherichia coli* NCTC 8164. *Applied and Environmental Microbiology* 68(12): 5965-5972.

Casal, V. and Gomez, R. 1999. Effect of high pressure on the viability and enzymatic activity of mesophilic lactic acid bacteria isolated from caprine cheese. *Journal of Dairy Science* 82: 1092-1098.

Castaldo, D.J. 2003. The Big Squeeze: Hormel Foods tries high-pressure processing to reduce the risk of bacterial contamination while not compromising the flavor of its products. *Meat Processing* February 2003.

Castillo A., L.A., Meszaros, L., and Kiss, I.F. 2004. Effect of high hydrostatic pressure and nisin on micro-organisms in minced meats. *Acta Alimentaria* 33(2): 183-190.

Castro, S.M., Saraiva, J.A., Lopes-da-Silva, J.A., Delgadillo, I., Van Loey, A., Smout, C.,

and Hendrickx, M. 2008. Effect of thermal blanching and of high pressure treatments on sweet green and red bell pepper fruits (*Capsicum annuum* L.). *Food Chemistry* 107: 1436-1449.

Castro, S.M., Van Loey, A., Saraiva, J.A., Smout, C., and Hendrickx, M. 2007. Effect of temperature, pressure and calcium soaking pre-treatments and pressure shift freezing on the texture and texture evolution of frozen green bell peppers (*Capsicum annuum*). *European Food Research and Technology* 226: 33-43.

Cha, J.Y., Choi, A.-J., Chun, B.-Y., Kim, M.-J., Chun, H.S., Kim, C.-J., Cho, Y.-J., and Kim, C.-T. 2007. Physicochemical characteristics of acid thinned and high pressure treated waxy rice starch for *Yugwa* (Korean rice snack) production. *Food Science and Biotechnology* 16(6): 943-947.

Chapleau, N., Mangavel, C., Compoin J.P., and Lamballerie-Anton, M. 2003. Effect of high-pressure processing on myofibrillar protein structure. *Journal of the Science of Food and Agriculture* 84: 66-74.

Chapman, B., Winley, E., Fong, A.S.W., Hocking, A.D., Stewart, C.M., and Buckle, K.A. 2007. Ascospore inactivation and germination by high pressure processing is affected by ascospore age. *Innovative Food Science and Emerging Technologies* 8: 531-534.

Chatpong, U., Apichartsrangkoon, A., and Bell, A.E. 2007. Effects of hydrocolloid addition and high pressure processing on the rheological properties and microstructure of a commercial ostrich meat product "Yor" (Thai sausage). *Meat Science* 76: 548-554.

Chauvin, M.A., Chang, S., Kang, D.H., and Swanson, B.G. 2006. Sucrose and ultra high pressure inactivation of *Saccharomyces cerevisiae* and *Listeria innocua*. *Journal of Food Processing and Preservation* 30: 732-741.

Chauvin, M.A., Lee, S.Y., Chang, S., Gray, P.M., Kang, D.H., and Swanson, B.G. 2005. Ultra high pressure inactivation of *Saccharomyces cerevisiae* and *Listeria innocua* on apples and blueberries. *Journal of Food Processing and Preservation* 29: 424-435.

Che, L.-M., Wang, L.-J., Li, D., Bhandari, B., Özkan, N., and Chen, X.D. 2009. Starch pastes thinning during high-pressure homogenization. *Carbohydrate Polymers* 75: 32-38.

Cheah, P.B. and Ledward, D.A. 1996. High pressure effects on lipid oxidation in minced pork. *Meat Science* 43(2): 123-134.

Cheftel, J. and Culioli, J. 1997. Effects of high pressure on meat: A review. *Meat Science* 46(3): 211-236.

Cheftel, J.C. 1995. Review: high-pressure, microbial inactivation and food preservation. *Food Science and Technology International* 1: 75-90.

Cheftel, J. 1992. Effects of high hydrostatic pressure on food constituents: An overview. *High Pressure and Biotechnology* 224: 195-209.

Chen, H. 2007. Temperature-assisted pressure inactivation of *Listeria monocytogenes* in turkey breast meat. *International Journal of Food Microbiology* 117: 55-60.

Chen, H. 2007. Use of linear, Weibull, and log-logistic functions to model pressure inactivation of seven foodborne pathogens in milk. *Food Microbiology* 24: 197-204.

Chen, H., Guan, D., and Hoover, D.G. 2006. Sensitivities of foodborne pathogens to pressure changes. *Journal of Food Protection* 69(1): 130-136.

Chen, H., Hoover, D.G., and Kingsley, D.H. 2005. Temperature and treatment time influence high hydrostatic pressure inactivation of feline calicivirus, a norovirus surrogate. *Journal of Food Protection* 68(11): 2389-2394.

Chen, H. and Hoover, D.G. 2003. Modeling the combined effect of high hydrostatic pressure and mild heat on the inactivation kinetics of *Listeria monocytogenes* Scott A in whole milk. *Innovative Food Science and Emerging Technologies* 4: 25-34.

Chen, Z., Tian, S., and Ruan, K. 2000. A vaccine to Coxsackievirus prepared by high pressure. <http://www.abbs.info/fulltxt/33-1/010123.htm>.

Chéret, R., Delbarre-Ladrat, C., Verrez-Bagnis, V., and de Lamballerie, M. 2007. Effect of high pressure on the calpain-calpastatin system in fish muscle. *Journal of Food Science* 72(6): C313-C316.

Cheret, R., Hernandez-Andres, A., Delbarre-Ladrat, C., de Lamballerie, M., and Verrez-Bagnis, V. 2006. Proteins and proteolytic activity changes during refrigerated storage in sea bass (*Dicentrarchus labrax* L.) muscle after high-pressure treatment. *European Food Research and Technology* 222: 527-535.

Cheret, R., Chapleau, N., Delbarre-Ladrat, C., Verrez-Bagnis, V., and de Lamballerie, M. 2005. Effects of high pressure on texture and microstructure of sea bass (*Dicentrarchus labrax* L.) fillets. *Journal of Food Science* 70(8): E477-E483.

Cheret, R., Delebarre-Ladrat, C., de Lamballerie-Anton, M., Verrez-Bagnis, V. 2005. High-pressure effects on the proteolytic enzymes of sea bass (*Dicentrarchus labrax* L.) fillets. *Journal of Agricultural and Food Chemistry* 53: 3969-3973.

Chevalier, D., Le Bail, A., and Ghoul, M. 2001. Effects of high pressure treatment (100-200 MPa) at low temperature on turbot (*Scophthalmus maximus*) muscle. *Food Research International* 34: 425-429.

Chevalier, D., Le Bail, A., and Ghoul, M. 2001. Evaluation of the ice ratio formed during quasi-adiabatic pressure shift freezing. *High Pressure Research* 21: 227-235.

Chevalier, D., Sequeira-Munoz, A., Le Bail, A., Simpson, B.K., and Ghoul, M. 2001. Effect of freezing conditions and storage on ice crystal and drip volume in turbot (*Scophthalmus maximus*): evaluation of pressure shift freezing vs. air-blast freezing. *Innovative Food Science & Emerging Technologies* 1: 193-201.

Chevalier, D., Le Bail, A., and Ghoul, M. 2000. Freezing and ice crystals formed in a cylindrical food model: Part II. Comparison between freezing at atmospheric pressure and pressure-shift freezing. *Journal of Food Engineering* 46: 287-293.

Chevalier, D., Le Bail, A., Chourot, J.M., and Chantreau, P. 1999. High pressure thawing of fish (Whiting): Influence of the process parameters on drip losses. *Lebensmittel-Wissenschaft und-Technology* 32(1): 25-31.

Chew, K.K. 2001. Prospects for high pressure processing on bacteria in Pacific oysters. *Aquaculture Magazine* 27(6): 72-74.

Chicón, R., Belloque, J., Alonso, E., and López-Fandiño, R. 2009. Antibody binding and functional properties of whey protein hydrolysates obtained under high pressure. *Food Hydrocolloids* 23: 593-599.

Chicón, R., Belloque, J., Alonso, E., López-Fandiño, R. 2008. Immunoreactivity and digestibility of high-pressure-treated whey proteins. *International Dairy Journal* 18: 367-376.

Chicón, R., López-Fandiño, R., Alonso, E., and Belloque, J. 2008. Proteolytic pattern, antigenicity, and serum immunoglobulin E binding of  $\beta$ -lactoglobulin hydrolysates obtained by pepsin and high-pressure treatments. *Journal of Dairy Science* 91: 928-938.

Chicón, R., Belloque, J., Alonso, E., Martín-Álvarez, P.J., and López-Fandiño, R. 2008. Hydrolysis under high hydrostatic pressure as a means to reduce the binding of  $\beta$ -lactoglobulin to immunoglobulin E from human sera. *Journal of Food Protection* 71(7): 1453-1459.

Chicon, R., Belloque, J., Recio, I., and Lopez- Fandino, R. 2006. Influence of high hydrostatic pressure on the proteolysis of  $\beta$ -lactoglobulin A by trypsin. *Journal of Dairy Research* 73: 121-128.

Chicon, R., Lopez-Fandino, R., Quiros, A., and Belloque, J. 2006. Changes in chymotrypsin hydrolysis of  $\beta$ -lactoglobulin A induced by high hydrostatic pressure. *Journal of Agricultural and Food Chemistry* 54: 2333-2341.

Chilton, P., Isaacs, N.S., Manas, P., and Mackey, B.M. 2001. Biosynthetic requirements for the repair of membrane damage in pressure-treated *Escherichia coli*. *International Journal of Food Microbiology* 71: 101-104.

Chourot, J.-M., Boillereaux, L., Havet, M., and Le Bail, A. 1997. Numerical modeling of high pressure thawing: application to water thawing. *Journal of Food Engineering* 34: 63-75.

Christiansen, K.F., Krekling, T., Kohler, A., Vegarud, G., Langsrud, T., and Egeland, B. 2006. Microstructure and sensory properties of high pressure processed dressings stabilized by different whey proteins. *Food Hydrocolloids* 20: 650-662.

Chung, Y.C., Gebrehiwot, A., Farkas, D.F., and Morrissey, M.T. 1994. Gelation of surimi by high hydrostatic pressure. *Journal of Food Science* 59(3): 523-24, 543.

Chung, Y.-K., Vurma, M., Turek, E.J., Chism, G.W., and Yousef, A.E. 2005. Inactivation of barotolerant *Listeria monocytogenes* in sausage by combination of high-pressure processing and food-grade additives. *Journal of Food Protection* 68(4): 744-750.

Clery-Barraud, C., Gaubert, A., Masson, P., and Vidal, D. 2004. Combined effects of high hydrostatic pressure and temperature for inactivation of *Bacillus anthracis* spores. *Applied and Environmental Microbiology* 70(1): 635-637.

Clubbs, E.A., Vittadini, E., Shellhammer, T.H., and Vodovotz, Y. 2005. Changes in the mechanical properties of corn tortillas due to the addition of glycerol and salt and selective high pressure treatments. *Innovative Food Science and Emerging Technologies* 6: 304-309.

Collins, M.V., Flick, G.J., Smith, S.A., Fayer, R., Croonenberghs, R., O'Keefe, S., and Lindsay, D.S. 2005. The effect of high-pressure processing on infectivity of *Cryptosporidium parvum* oocysts recovered from experimentally exposed Eastern oysters. *Journal of Eukaryotic Microbiology* 52(6): 500-504.

Considine, T., Patel, H.A., Anema, S.G., Singh, H., and Creamer, L.K. 2007. Interactions of milk proteins during heat and high hydrostatic pressure treatments - A review. *Innovative Food Science and Emerging Technologies* 8: 1-23.

Considine, T., Patel, H.A., Singh, H., and Creamer, L.K. 2007. Influence of binding conjugated linoleic acid and myristic acid on the heat- and high-pressure-induced unfolding and aggregation of  $\beta$ -lactoglobulin B. *Food Chemistry* 102: 1270-1280.

Cook, D.W. 2003. Sensitivity of *Vibrio* species in phosphate-buffered saline and in oysters to high-pressure processing. *Journal of Food Protection* 66(12): 2276-2282.

- Corradini, M.G. and Peleg, M. 2007. A Weibullian model for microbial injury and mortality. *International Journal of Food Microbiology* 119: 319-328.
- Corrales, M., Fernández García, A., Butz P., and Tauscher B. 2009. Extracion of anthocyanins from grape skins assisted by high hydrostatic pressure. *Journal of Food Engineering* 90: 415-421.
- Corrales. M., Butz, P., and Tauscher, B. 2008. Anthocyanin condensation reactions under high hydrostatic pressure. *Food Chemistry* 110: 627-635.
- Corrales, M., Toepfl, S., Butz, P., Knorr, D., and Tauscher, B. 2008. Extraction of anthocyanins from grape by-products assisted by ultrasonics, high hydrostatic pressure or pulsed electric fields: A comparison. *Innovative Food Science and Emerging Technologies* 9: 85-91.
- Cortés-Muñoz, M., Chevalier-Lucia, D., and Dumay, E. 2009. Characteristics of submicron emulsions prepared by ultra-high pressure homogenisation: Effect of chilled or frozen storage. *Food Hydrocolloids* 23: 640-654.
- Corwin, H. and Shellhammer, T.H. 2002. Combined carbon dioxide and high pressure inactivation of pectin methylesterase, polyphenol oxidase, *Lactobacillus plantarum* and *Escherichia coli*. *Journal of Food Science* 67(2): 697-701.
- Crews, J. 2006. Performing under pressure. *Meat and Poultry* July: 56-65.
- Cruz, C., El Moueffak, A., Antoine, M., Montury, M., Demazeau, G., Largeteau, A., Roy, B., and Zuber, F. 2003. Preservation of fatty duck liver by high pressure treatment. *International Journal of Food Science and Technology* 38: 267-272.
- Cruz, J. and Montville, T.J. 2008. Influence of nisin on the resistance of *Bacillus anthracis* Sterne spores to heat and hydrostatic pressure. *Journal of Food Protection* 71(1): 196-199.
- Cruz, N.S., Capellas, M., Jaramillo, D.P., Trujillo, A.J., Guamis, B., and Ferragut, V. 2009. Soymilk treated by ultra high-pressure homogenization: Acid coagulation properties and characteristics of a soy-yogurt product. *Food Hydrocolloids* 23: 490-496.
- Cruz-Romero, M., Kelly, A.L., and Kerry, J.P. 2008. Influence of packaging strategy on microbiological and biochemical changes in high-pressure-treated oysters (*Crassostrea gigas*). *Journal of the Science of Food and Agriculture* 88: 2713-2723.
- Cruz-Romero, M., Kerry, J.P., and Kelly A.L. 2008. Changes in the microbiological and physicochemical quality of high-pressure-treated oysters (*Crassostrea gigas*) during chilled storage. *Food Control* 19: 1139-1147.
- Cruz-Romero, M.C., Kerry, J.P., and Kelly, A.L. 2008. Fatty acids, volatile compounds

and colour changes in high-pressure-treated oysters (*Crassostrea gigas*). *Innovative Food Science and Emerging Technologies* 9: 54-61.

Cruz-Romero, M., Kelly, A.L., and Kerry, J.P. 2007. Effects of high-pressure and heat treatments on physical and biochemical characteristics of oysters (*Crassostrea gigas*). *Innovative Food Science and Emerging Technologies* 8: 30-38.

Curl, A.L. and Jansen, E.F. 1949. Effect of high pressures on trypsin and chymotrypsin. *Enzyme Research Division Contribution* 124: 45-54.