

High Pressure Processing References - H

- Han, G.D. 2006. Heat and high-pressure treatments on *in vitro* digestibility and allergenicity of beef extract. *Food Science and Biotechnology* 15(4): 523-528.
- Harte, F.M., Gurram, S.R., Luedecke, L.O., Swanson, B.G., and Barbosa-Cánovas, G.V. 2007. Effect of high hydrostatic pressure and whey proteins on the disruption of casein micelle isolates. *Journal of Dairy Research* 74: 452-458.
- Hartmann, C., Mathmann, K., and Delgado, A. 2006. Mechanical stresses in cellular structures under high hydrostatic pressure. *Innovative Food Science and Emerging Technologies* 7: 1-12.
- Hartmann, C. and Delgado, A. 2003. The influence of transport phenomena during high-pressure processing of packed food on the uniformity of enzyme inactivation. *Biotechnology and Bioengineering* 82(6): 725-735.
- Hartmann, C., Delgado, A., and Szymczyk, J. 2003. Convective and diffusive transport effects in a high pressure induced inactivation process of packed food. *Journal of Food Engineering* 59: 33-44.
- Hartmann, C. 2002. Numerical simulation of thermodynamic and fluid-dynamic processes during the high-pressure treatment of fluid food systems. *Innovative Food Science & Emerging Technologies* 3: 11-18.
- Hartmann, C. and Delgado, A. 2002. Numerical simulation of convective and diffuse transport effects on a high-pressure-induced inactivation process. *Biotechnology and Bioengineering* 79(1): 94-104.
- Hashizume, C., Kimura, K., and Hayashi, R. 1995. Kinetic analysis of yeast inactivation by high pressure treatment at low temperatures. *Bioscience, Biotechnology, and Biochemistry* 59(8): 1455-1458.
- Hauben, K.J.A., Bernaerts, K., and Michiels, C.W. 1998. Protective effect of calcium on inactivation of *Escherichia coli* by high hydrostatic pressure. *Journal of Applied Microbiology* 85: 678-684.
- Hauben, K.J.A., Bartlett, D.H., Soontjens, C.C.F., Cornelis, K., Wuytack, E.Y., and Michiels, C.W. 1997. *Escherichia coli* mutants resistant to inactivation by high hydrostatic pressure. *Applied and Environmental Microbiology* 63(3): 945-950.
- Hawley, S.A. 1971. Reversible pressure-temperature denaturation of chymotrypsinogen. *Biochemistry* 10(13): 2436-2445.
- Hayakawa, I., Furukawa, S., Midzunaga, A., Horiuchi, H., Nakashima, T., Fujio, Y., Yano, Y., Ishikura, T., and Sasaki, K. 1998. Mechanism of inactivation of heat-tolerant

spores of *Bacillus stearothermophilus* IFO 12550 by rapid decompression. *Journal of Food Science* 63(3): 371-374.

Hayakawa, K., Ueno, Y., Kawamura, S., Kato, T., and Hayashi, R. 1998. Microorganism inactivation using high-pressure generation in sealed vessels under sub-zero temperature. *Applied Microbiology Biotechnology* 50: 415-418.

Hayakawa, I., Linko, Y., and Linko, P. 1996. Mechanism of high pressure denaturation of proteins. *Lebensmittel-Wissenschaft und-Technologie* 29(8): 756-762.

Hayakawa, I., Kanno, T., Tomita, M., and Fujio, Y. 1994. Application of high pressure for spore inactivation and protein denaturation. *Journal of Food Science* 59(1): 159-163.

Hayakawa, I., Kanno, T., Yoshiyama, K., and Fujio, Y. 1994. Oscillatory compared with continuous high pressure sterilization on *Bacillus stearothermophilus* spores. *Journal of Food Science* 59(1): 164-167.

Hayakawa, I., Kajihara, J., Morikawa, K., Oda, M., and Fujio, Y. 1992. Denaturation of bovine serum albumin (BSA) and ovalbumin by high pressure, heat and chemicals. *Journal of Food Science* 57(2): 288-292.

Hayashi, R. 1989. Application of high pressure to food processing and preservation: philosophy and development. In *Engineering and Food*, vol. 2. Elsevier Applied Science, England. 815-826.

Hayashi, R., Kawamura, Y., and Kunugi, S. 1987. Introduction of high pressure to food processing: preferential proteolysis of β -lactoglobulin in milk whey. *Journal of Food Science* 52(4): 1107-1108.

Hayes, G. and Kelly, A.L. 2003. High pressure homogenization of milk (b) effects on indigenous enzymatic activity. *Journal of Dairy Research* 70: 307-313.

Hayes, G. and Kelly, A.L. 2003. High pressure homogenization of raw whole bovine milk (a) effect on fat globule size and other properties. *Journal of Dairy Research* 70: 297-305.

Hayman, M.M., Ananteswaran, R.C., and Knabel, S.J. 2008. Heat shock induces barotolerance in *Listeria monocytogenes*. *Journal of Food Protection* 71(2): 426-430.

Hayman, M.M., Kouassi, G.K., Ananteswaran, R.C., Floros, J.D., and Knabel, S.J. 2008. Effect of water inactivity on inactivation of *Listeria monocytogenes* and lactate dehydrogenase during high pressure processing. *International Journal of Food Microbiology* 124: 21-26.

Hayman, M.M., Ananteswaran, R.C., and Knabel, S. J. 2007. The effects of growth

temperature and growth phase on the inactivation of *Listeria monocytogenes* in whole milk subject to high pressure processing. *International Journal of Food Microbiology* 115: 220-226.

He, H., Adams, R.M., Farkas, D.F., and Morrissey, M.T. 2002. Use of high-pressure processing for oyster shucking and shelf-life extension. *Journal of Food Science* 67(2): 640-645.

He, H., Adams, R.M., Farkas, D.F., and Morrissey, M.T. 2001. The use of high hydrostatic pressure to shuck oysters and extend shelf-life. *Journal of Shellfish Research* 20(3): 1299-1300.

He, J.-S., Azuma, N., Hagiwara, T., and Kanno, C. 2006. Effects of sugars on the cross-linking formation and phase separation of high-pressure induced gel of whey protein from bovine milk. *Bioscience, Biotechnology, and Biochemistry* 70(3): 615-625.

Heindl, P., Fernandez Garcia, A., Butz, P., Trierweiler, B., Voigt, H., Pfaff, E., and Tauscher, B. 2008. High pressure/temperature treatments to inactivate highly infectious prion subpopulations. *Innovative Food Science and Emerging Technologies* 9: 290-297.

Heinemann, S.H., Conti, F., Stühmer, W., and Neher, E. 1987. Effects of hydrostatic pressure on membrane processes. *The Journal of General Physiology* 90: 765-778.

Heinemann, S.H., Stuhmer, W., and Conti, F. 1987. Single acetylcholine receptor channel currents recorded at high hydrostatic pressures. *Proceedings of the National Academy of Science USA* 84: 3229-3233.

Heinz, V. and Knorr, D. 2000. Effect of pH, ethanol addition and high hydrostatic pressure on the inactivation of *Bacillus subtilis* by pulsed electric fields. *Innovative Food Science & Emerging Technologies* 1: 151-159.

Hendrickx, M., Ludikhuyze, L., Van den Broeck, I., and Weemaes, C. 1998. Effects of high pressure on enzymes related to food quality. *Trends in Food Science & Technology* 9: 197-203.

Hernández, A. and Harte, F.M. 2008. Manufacture of acid gels from skim milk using high-pressure homogenization. *Journal of Dairy Science* 91: 3761-3767.

Hernandez, A. and Cano, M. 1998. High-pressure and temperature effects on enzyme inactivation in tomato puree. *Journal of Agricultural and Food Chemistry* 46: 266-270.

Hernández-Andrés, A., Pérez-Mateos, M., Montero, P., and Gómez-Guillén, M.D.C. 2008. A comparative study of the effects of high pressure on proteolytic degradation of sardine and blue white muscle. *Fisheries Science* 74: 899-910.

- Hernando Sáiz, A., Tárrago Mingo, S., Purroy Balda, F., and Tonello Samson, C. 2008. Advances in design for successful commercial high pressure food processing. *Food Australia* 60(4): 154-156.
- Hill, V.M., Isaacs, N.S., Ledward, D.A., and Ames, J.M. 1999. Effect of high hydrostatic pressure on the volatile component of a glucose-lysine model system. *Journal of Agricultural and Food Chemistry* 47: 3675-3681.
- Hilz, H., Lille, M., Poutanen, K., Schols, H.A., and Voragen, A.G.J. 2006. Combined enzymatic and high-pressure processing affect cell wall polysaccharides in berries. *Journal of Agricultural and Food Chemistry* 54: 1322-1328.
- Hinrichs, J., and Rademacher, B. 2005. Kinetics of combined thermal and pressure-induced whey protein denaturation in bovine skim milk. *International Dairy Journal* 15: 315-323.
- Hite, B.H. 1899. The effect of pressure in the preservation of milk. *West Virginia Agricultural Experiment Station Bulletins* 58: 15-35.
- Hite, B.H., Giddings, N.J., and Weakley, Jr., C.E. 1914. The effect of pressure on certain microorganisms encountered in the preservation of fruits and vegetables. *West Virginia University Agricultural Experiment Station Bulletins* 146: 3-67.
- Holliman, D. 2005. Hepatitis A and shellfish. *Global Aquaculture Advocate* 8(2): 44-45.
- Homma, N., Ikeuchi, Y., and Suzuki, A. 1995. Levels of calpain and calpastatin in meat subjected to high pressure. *Meat Science* 41(3): 251-260.
- Homma, N., Ikeuchi, Y., and Suzuki, A. 1994. Effects of high pressure treatment on the proteolytic enzymes in meat. *Meat Science* 38: 219-228.
- Hong, G.-P., Ko, S.-H., Choi, M.-J., and Min, S.-G. 2008. Effect of glucono- δ -lactone and κ -carrageenan combined with high pressure treatment on the physico-chemical properties of restructured pork. *Meat Science* 79: 236-243.
- Hong, S.-I. and Pyun, Y.-R. 1999. Inactivation kinetics of *Lactobacillus plantarum* by high pressure carbon dioxide. *Journal of Food Science* 64(4): 728-733.
- Hong, S.-I., Park, W.-S., and Pyun, Y.-R. 1997. Inactivation of *Lactobacillus* sp. from *Kimchi* by high pressure carbon dioxide. *Lebensmittel-Wissenschaft und-Technologie* 30: 681-685.
- Hoover, D.G. 1997. Minimally processed fruits and vegetables: reducing microbial load by nonthermal physical treatments. *Food Technology* 51(6): 66-71.
- Hoover, D.G. 1993. Pressure effects on biological systems. *Food Technology*

47(6): 150-155.

Hoover, D.G., Metrick, C., Papineau, A.M., Farkas, D.F., and Knorr, D. 1989. Biological effects of high hydrostatic pressure on food microorganisms. *Food Technology* 43(3): 99-107.

Horgan, D.J. and Kuypers, R. 1983. Effect of high pressure on the regulation of phosphorylase activity in pre-rigor rabbit muscle. *Meat Science* 8: 65-77.

Horgan, D.J. 1980. Effect of pressure treatment on the sarcoplasmic reticulum of red and white muscles. *Meat Science* 5: 297-305.

Horgan, D.J. 1979. ATPase activities of sarcoplasmic reticulum isolated from rabbit and bovine muscles subjected to pre-rigor pressure treatment. *Journal of Food Science* 44(2): 492-493, 500.

Hosseini-Nia, T., Ismail, A.A., and Kubow, S. 2002. Effect of high hydrostatic pressure on the secondary structures of BSA and apo- and holo- α -lactalbumin employing Fourier Transform Infrared Spectroscopy. *Journal of Food Science* 67(4): 1341-1347.

Houghton, J.L., Seyfried Jr., W.E., Banta, A.B., and Reysenbach, A.-L. 2007. Continuous enrichment culturing of thermophiles under sulfate and nitrate-reducing conditions and at deep-sea hydrostatic pressures. *Extremophiles* 11: 371-382.

Houska, M., Strohalm, J., Kocurova, K., Totusek, J., Lefnerova, D., Triska, J., Vrchotova, N., Fiedlerova, V., Holasova, M., Gabrovska, D., and Paulickova, I. 2006. High pressure and foods – fruit/vegetable juices. *Journal of Food Engineering* 77: 386-398.

Hsu, K.-C. 2008. Evaluation of processing qualities of tomato juice induced by thermal and pressure processing. *LWT* 41: 450-459.

Hsu, K.-C., Tan, F.-J., and Chi, H.-Y. 2008. Evaluation of microbial inactivation and physicochemical properties of pressurized tomato juice during refrigerated storage. *LWT* 41: 367-375.

Hsu, K.-C., Hwang, J.-S., Yu, C.-C., and Jao, C.-L. 2007. Changes in conformation and in sulfhydryl groups of actomyosin of tilapia (*Oreochromis niloticus*) on hydrostatic pressure treatment. *Food Chemistry* 103: 560-564.

Hsu, K.-C. and Jao, C.-L. 2007. Effect of pretreatment of hydrostatic pressure on physicochemical properties of tilapia muscle protein gels induced by setting. *Journal of Food Science* 72(2): E73- E78.

Hsu, K.-C. and Ko, W.-C. 2001. Effect of hydrostatic pressure on aggregation and

viscoelastic properties of tilapia (*Oreochromis niloticus*) myosin. *Journal of Food Science* 66(8): 1158-1162.

Huang, E., Mittal, G.S., and Griffiths, M.W. 2006. Inactivation of *Salmonella enteritidis* in liquid whole egg using combination treatments of pulsed electric field, high pressure and ultrasound. *Biosystems Engineering* 94(3): 403-413.

Huang, M., Moreira, R.G., and Murano, E. 1999. Use of hydrostatic pressure to produce high quality and safe fresh pork sausage. *Journal of Food Processing Preservation* 23: 265-284.

Hugas, M., Garriga, M., and Monfort, J.M. 2002. New mild technologies in meat processing: High pressure as a model technology. *Meat Science* 62: 359-371.

Hult, E.-L., Yamanaka, S., Ishihara, M., and Sugiyama, J. 2003. Aggregation of ribbons in bacterial cellulose induced by high pressure incubation. *Carbohydrate Polymers* 53: 9-14.

Hummer, G., Garde, S., Garcia, A.E., Paulaitis, M.E., and Pratt, L.R. 1998. The pressure dependence of hydrophobic interactions is consistent with the observed pressure denaturation of proteins. *Proceedings of the National Academy of Science, USA* 95: 1552-1555.

Huppertz, T. and Smiddy, M.A. 2008. Behaviour of partially cross-linked casein micelles under high pressure. *International Journal of Dairy Technology* 61(1): 51-55.

Huppertz, T. and de Kruif, C.G. 2006. Disruption and reassociation of casein micelles under high pressure: Influence of milk serum composition and casein micelle concentration. *Journal of Agricultural and Food Chemistry* 54: 5903-5909.

Huppertz, T., Kelly, A.L., and de Kruif, C.G. 2006. Disruption and reassociation of casein micelles under high pressure. *Journal of Dairy Research* 73: 294-298.

Huppertz, T., Kelly, A.L., and Fox, P.F. 2006. High pressure-induced changes in ovine milk. 1. Effects on the mineral balance and pH. *Milchwissenschaft* 61(3): 285-288.

Huppertz, T., Kelly, A.L., and Fox, P.F. 2006. High pressure-induced changes in ovine milk. 2. Effects on casein micelles and whey proteins. *Milchwissenschaft* 61(4): 394-397.

Huppertz, T., Hinz, K., Zobrist, M.R., Uniacke, T., Kelly, A.L., and Fox, P.F. 2005. Effects of high pressure treatment on the rennet coagulation and cheese-making properties of heated milk. *Innovative Food Science and Emerging Technologies* 6: 279-285.

Huppertz, T., Zobrist, M.R., Uniacke, T., Upadhyat, V., Fox, P.F., and Kelly, A.L. 2005. Effects of high pressure on some constituents and properties of buffalo milk.

Journal of Dairy Research 72: 226-233.

Huppertz, T., Fox, P.F., and Kelly, A.L. 2004. High pressure-induced denaturation of α -lactalbumin and β -lactoglobulin in bovine milk and whey: a possible mechanism. *Journal of Dairy Research* 71: 489-495.

Huppertz, T., Fox, P.F., and Kelly, A.L. 2004. Influence of high pressure treatment on the acidification of bovine milk by lactic acid bacteria. *Milchwissenschaft* 59(5/6): 249-252.

Huppertz, T., Fox, P.F., and Kelly, A.L. 2004. Susceptibility of plasmin and chymosin in Cheddar cheese to inactivation by high pressure. *Journal of Dairy Research* 71: 496-499.

Huppertz, T., Kelly, A.L., and Fox, P.F. 2002. Effects of high pressure on constituents and properties of milk. *International Dairy Journal* 12: 561-572.

Hurtado, J.L., Montero, P., and Borderias, J. 2001. Chilled storage of pressurized octopus (*Octopus vulgaris*) muscle. *Journal of Food Science* 66(3): 400-406.

Hurtado, J.L., Montero, P., and Borderias, A.J. 2000. Extension of shelf life of chilled hake (*Merluccius capensis*) by high pressure. *Food Science Technology International* 6(3): 243-249.

Hwang, J.-S., Lai, K.-M., and Hsu, K.-C. 2007. Changes in textural and rheological properties of gels from tilapia muscle proteins induced by high pressure and setting. *Food Chemistry* 104: 746-753.