

High Pressure Processing References - K

Kadlec, P., Dostalova, J., Houska, M., Strohalm, J., and Bubnik, Z. 2006. Evaluation of α -galactosides decrease during storage of germinated pea seeds treated by high pressure. *Journal of Food Engineering* 77: 364-367.

Kalchayanand, N., Dunne, P., Sikes, A., and Ray, B. 2004. Viability loss and morphology change of foodborne pathogens following exposure to hydrostatic pressures in the presence and absence of bacteriocins. *International Journal of Food Microbiology* 91: 91-98.

Kalchayanand, N., Frethem, C., Dunne, P., Sikes, A., and Ray, B. 2002. Hydrostatic pressure and bacteriocin-triggered cell wall lysis of *Leuconostoc mesenteroides*. *Innovative Food Science & Emerging Technologies* 3: 33-40.

Kalchayanand, N., Sikes, A., Dunne, C.P., and Ray, B. 1998. Factors influencing death and injury of foodborne pathogens by hydrostatic pressure-pasteurization. *Food Microbiology* 15: 207-214.

Kalchayanand, N., Sikes, A., Dunne, C.P., and Ray, B. 1998. Interaction of hydrostatic pressure, time and temperature of pressurization and pediocin AcH on inactivation of foodborne bacteria. *Journal of Food Protection* 61(4): 425-431.

Kalchayanand, N., Sikes, T., Dunne, P. and Ray, B. 1997. Viability loss kinetics of foodspoilage and pathogenic bacteria at moderate hydrostatic pressure. *Activities Report of R&D Associates Proceedings Fall 1996 Meeting* 49: 331-341.

Kalchayanand, N., Sikes, T., Dunne, C.P. and Ray, B. 1994. Hydrostatic pressure and electroporation have increased bactericidal efficiency in combination with bacteriocins. *Applied and Environmental Microbiology* 60(11): 4174-4177.

Kalichevsky, M.T., Knorr, D., and Lillford, P.J. 1995. Potential food applications of high-pressure effects on ice-water transitions. *Trends in Food Science & Technology* 6: 253-259.

Kamatari, Y.O., Yamada, H., Akaska, K., Jones, J.A., Dobson, C.M., and Smith, L.J. 2001. Response of native and denatured hen lysozyme to high pressure studied by $^{15}\text{N}/^1\text{H}$ NMR spectroscopy. *European Journal of Biochemistry* 268: 1782-1793.

Kamiyama, K., Ikeuchi, Y., Suzuki, A., Kim, K., Hayashi, T., and Ito, T. 2001. An immunological assessment of myosin degradation in pressurized chicken muscle. *Journal of Food Science* 66(8): 1126-1129.

Kanno, C., Mu, T-H., Hagiwara, T., Ametani, M., and Azuma, N. 1998. Gel formation from industrial milk whey proteins under hydrostatic pressure: Effect of hydrostatic pressure and protein concentration. *Journal of Agricultural and Food Chemistry*

46: 417-424.

Karaman, H. and Erkmen, O. 2001. High carbon dioxide pressure inactivation kinetics of *Escherichia coli* in broth. *Food Microbiology* 18: 11-16.

Karatzas, K.A.G. and Bennik, M.H.J. 2002. Characterization of a *Listeria monocytogenes* Scott A isolate with high tolerance towards high hydrostatic pressure. *Applied and Environmental Microbiology* 68(7): 3183-3189.

Kasapis, S. and Sablani, S.S. 2008. The effect of pressure on the structural properties of biopolymer/co-solute. Part II: The example of gelling polysaccharides. *Carbohydrate Polymers* 72: 537-544.

Kato, M. and Hayashi, R. 1999. Effects of high pressure on lipids and biomembranes for understanding high-pressure-induced biological phenomena. *Bioscience, Biotechnology, and Biochemistry* 63(8): 1321-1328.

Kato, N., Teramoto, A., and Fuchigami, M. 1997. Pectic substance degradation and texture of carrots as affected by pressurization. *Journal of Food Science* 62(2): 359-62, 398.

Kawai, K., Fukami, K., and Yamamoto, K. 2007. Effects of treatment pressure, holding time, and starch content on gelatinization and retrogradation properties of potato starch-water mixtures treated with high hydrostatic pressure. *Carbohydrate Polymers* 69: 590-596.

Kawano, H., Nakasone, K., Abe, F., Kato, C., Yoshida, Y., Usami, R., and Horikoshi, K. 2005. Protein-DNA interactions under high-pressure conditions, studied by capillary narrow-tube electrophoresis. *Bioscience, Biotechnology, and Biochemistry* 69(7): 1415-1417.

Kawano, H., Nakasone, K., Matsumoto, M., Yoshida, Y., Usami, R., Kato, C., and Abe, F. 2004. Differential pressure resistance in the activity of RNA polymerase isolated from *Shewanella violacea* and *Escherichia coli*. *Extremophiles* 8: 367-375.

Kawarai, T., Arai, S., Furukawa, S., Ogihara, H., and Yamasaki, M. 2006. High-hydrostatic-pressure treatment impairs actin cables and budding in *Saccharomyces cerevisiae*. *Journal of Bioscience and Bioengineering* 101(6): 515-518.

Kawarai, T., Ogihara, H., Furukawa, S., Aono, R., Kishima, M., Inagi, Y., Irie, A., Ida, A., and Yamasaki, M. 2005. High hydrostatic pressure treatment impairs AcrAB-To1C pump resulting in differential loss of deoxycholate tolerance in *Escherichia coli*. *Journal of Bioscience and Bioengineering* 100(6): 613-616.

- Kawarai, T., Wachi, M., Ogino, H., Furukawa, S., Suzuki, K., Ogihara, H., and Yamasaki, M. 2004. SulA-independent filamentation of *Escherichia coli* during growth after release from high hydrostatic pressure treatment. *Applied Microbiology and Biotechnology* 64: 255-262.
- Kaye, J.Z. and Baross, J.A. 2004. Synchronous effects of temperature, hydrostatic pressure, and salinity on growth, phospholipid profiles, and protein patterns of four *Halomonas* species isolated from deep-sea hydrothermal-vent and sea surface environments. *Applied and Environmental Microbiology* 70(10): 6220-6229.
- Keenan, R.D., Young, D.J., Tier, C.M., Jones, A.D., and Underdown, J. 2001. Mechanism of pressure-induced gelation of milk. *Journal of Agricultural and Food Chemistry* 49: 3394-3402.
- Keim, S. and Hinrichs, J. 2004. Influence of stabilizing bonds on the texture properties of high-pressure-induced whey protein gels. *International Dairy Journal* 14: 355-363.
- Kendig, J.J. 1984. Ionic current in vertebrate myelinated nerve at hyperbaric pressure. *American Journal of Physiology* 246(1): C84-C90.
- Kennick, W.H., Elgasim, E.A., Holmes, Z.A., and Meyer, P.F. 1980. The effect of pressurization of pre-rigor muscle on post-rigor meat characteristics. *Meat Science* 4: 33-40.
- Khadre, M. A. and Yousef, A. E. 2002. Susceptibility of human rotavirus to ozone, high pressure, and pulsed electric field. *Journal of Food Protection* 65(9): 1441-1446.
- Kheadr, E.E., Vachon, J.F., Paquin, P., and Fliss, I. 2002. Effect of dynamic high pressure on microbiological, rheological and microstructural quality of cheddar cheese. *International Dairy Journal* 12: 435-446.
- Kieffer, R., Schurer, F., Köhler, P., and Wieser, H. 2007. Effect of hydrostatic pressure and temperature on the chemical and functional properties of wheat gluten: Studies on gluten, gliadin and glutenin. *Journal of Cereal Science* 45: 285-292.
- Kilimann, K.V., Hartmann, C., Delgado, A., Vogel, R.F., and Ganzle, M.G. 2006. Combined high-pressure and temperature induced lethal and sublethal injury of *Lactococcus lactis* - Application of multivariate statistical analysis. *International Journal of Food Microbiology* 109: 25-33.
- Kilimann, K.V., Hartmann, C., Delgado, A., Vogel, R.F., and Ganzle, M.G. 2005. A fuzzy logic-based model for the multistage high-pressure inactivation of *Lactococcus lactis* ssp. *cremoris* MG 1363. *International Journal of Food Microbiology* 98: 89-105.

Kim, K., Ikeuchi, Y., and Suzuki, A. 1992. Pressure-induced conversion of α -connectin to β -connectin. *Meat Science* 32: 237-243.

Kim, Y.-J., Lee, E.-J., Lee, N.-H., Kim, Y.-H., and Yamamoto, K. 2007. Effects of hydrostatic pressure treatment on the physicochemical, morphological, and textural properties of bovine *semitendinosus* muscle. *Food Science and Biotechnology* 16(1): 49-54.

Kincal, D., Hill, W.S., Balaban, M., Portier, K.M., Sims, C.A., Wei, C.I., and Marshall M.R. 2006. A continuous high-pressure carbon dioxide system for cloud and quality retention in orange juice. *Journal of Food Science* 71(6): C338-C344.

Kincal, D., Hill, W.S., Balaban, M.O., Portier, K.M., Wei, C.I., and Marshall, M.R. 2005. A continuous high pressure carbon dioxide system for microbial reduction in orange juice. *Journal of Food Science* 70(5): M249-M254.

Kingsley, D.H. and Chen, H. 2008. Aqueous matrix compositions and pH influence feline calicivirus inactivation by high pressure processing. *Journal of Food Protection* 71(8): 1598-1603.

Kingsley, D.H., Holliman, D.R., Calci, K.R., Chen, H., and Flick, G.J. 2007. Inactivation of a norovirus by high-pressure processing. *Applied and Environmental Microbiology* 73(2): 581-585.

Kingsley, D.H., Guan, D., Hoover, D.G., and Chen, H. 2006. Inactivation of Hepatitis A virus by high-pressure processing: The role of temperature and pressure oscillation. *Journal of Food Protection* 69(10): 2454-2459.

Kingsley, D. H., Hoover, D. G., Papafragkou, E., and Richards, G. P. 2002. Inactivation of hepatitis A virus and a calicivirus by high hydrostatic pressure. *Journal of Food Protection* 65(10): 1605-1609.

Kleber, N., Maier, S., and Hinrichs, J. 2007. Antigenic response of bovine β -lactoglobulin influenced by ultra-high pressure treatment and temperature. *Innovative Food Science and Emerging Technologies* 8: 39-45.

Klotz, B., Pyle, D.L., and Mackey, B.M. 2007. New mathematical modeling approach for predicting microbial inactivation by high hydrostatic pressure. *Applied and Environmental Microbiology* 73(8): 2468-2478.

Kniel, K.E., Shearer, A.E.H., Cascarino, J.L., Wilkins, G.C., and Jenkins, M.C. 2007. High hydrostatic pressure and UV light treatment of produce contaminated with *Eimeria acervulina* as a *Cyclospora cayetanensis* surrogate. *Journal of Food Protection* 70(12): 2837-2842.

Knorr, D., Schlueter, O., and Heinz, V. 1998. Impact of high hydrostatic pressure on phase transitions of foods. *Food Technology* 52(9): 42-45.

Knorr, D. 1993. Effects of high-hydrostatic-pressure processes on food safety and quality. *Food Technology* 47(6): 156-161.

Knorr, D. and Zimmerman, F. 1993. Effects of high hydrostatic-pressure equipment processes on food sanitation. *Food Technology* 47(6): 162-163.

Ko, W.-C., Jao, C.-L., Hwang, J.-S., and Hsu, K.-C. 2006. Effect of high-pressure treatment on processing quality of tilapia meat fillets. *Journal of Food Engineering* 77: 1007-1011.

Ko, W.C., Hwang, J.S., Jao, C.L., and Hsu, K.C. 2004. Denaturation of tilapia myosin fragments by high hydrostatic pressure. *Journal of Food Science* 69(8): 604-607.

Ko, W.C., Jao, C.L., and Hsu, K.C. 2003. Effect of hydrostatic pressure on molecular conformation of tilapia (*Oreochromis niloticus*) myosin. *Journal of Food Science* 68(4): 1192-1195.

Koo, J., Jahncke, M.L., Reno, P.W., Hu, X., and Mallikarjunan, P. 2006. Inactivation of *Vibrio parahaemolyticus* and *Vibrio vulnificus* in phosphate-buffered saline and in inoculated whole oysters by high-pressure processing. *Journal of Food Protection* 69(3): 596-601.

Koohmarie, M., Kennick, W.H., Elgasim, E.A., and Anglemier, A.F. 1984. Effect of prerigor pressurization on the activity of calcium-activated factor. *Journal of Food Science* 49: 680-686.

Kornblatt, J.A. and Kornblatt, M.J. 2002. The effects of osmotic and hydrostatic pressures on macromolecular systems. *Biochimica et Biophysica Acta* 1595: 30-47.

Kornblatt, J.A., Bon Hoa, G.H., Eltis, L., and Mauk, A.G. 1988. The effects of pressure on porphyrin *c*-Cytochrome *b*₅ complex formation. *Journal American Chemical Society* 110: 5909-5911.

Koseki, S., Mizuno, Y., and Yamamoto, K. 2008. Use of mild-heat treatment following high-pressure processing to prevent recovery of pressure-injured *Listeria monocytogenes* in milk. *Food Microbiology* 25: 288-293.

Koseki, S., Mizuno, Y., and Yamamoto, K. 2007. Predictive modelling of the recovery of *Listeria monocytogenes* on sliced cooked ham after high pressure processing. *International Journal of Food Microbiology* 119: 300-307.

Koseki, S. and Yamamoto, K. 2007. Modelling the bacterial survival/death interface induced by high pressure processing. *International Journal of Food Microbiology*

116: 136-143.

Koseki, S. and Yamamoto, K. 2007. A novel approach to predicting microbial inactivation kinetics during high pressure processing. *International Journal of Food Microbiology* 116: 275-282.

Koseki, S. and Yamamoto, K. 2007. Water activity of bacterial suspension media unable to account for the baroprotective effect of solute concentration on the inactivation of *Listeria monocytogenes* by high hydrostatic pressure. *International Journal of Food Microbiology* 115: 43-47.

Koseki, S. and Yamamoto, K. 2006. pH and solute concentration of suspension media affect the outcome of high hydrostatic pressure treatment of *Listeria monocytogenes*. *International Journal of Food Microbiology* 111: 175-179.

Koseki, S. and Yamamoto, K. 2006. Recovery of *Escherichia coli* ATCC 25922 in phosphate buffered saline after treatment with high hydrostatic pressure. *International Journal of Food Microbiology* 110: 108-111.

Kouassi, G.K., Anantheswaran, R.C., Knabel, S.J., and Floros, J.D. 2007. Effect of high-pressure processing on activity and structure of alkaline phosphatase and lactate dehydrogenase in buffer and milk. *Journal of Agricultural and Food Chemistry* 55(23): 9520-9529.

Koutchma, T., Guo, B., Patazca, E., and Parisi, B. 2005. High pressure-high temperature sterilization: From kinetic analysis to process verification. *Journal of Food Process Engineering* 28: 610-629.

Kowalczyk, W., Hartmann, C., Luscher, C., Pohl, M., Delgado, A., and Knorr, D. 2005. Determination of thermophysical properties of foods under high hydrostatic pressure in combined experimental and theoretical approach. *Innovative Food Science and Emerging Technologies* 6: 318-326.

Krebbers, B., Matser, A.M., Hoogerwerf, S.W., Moezelaar, R., Tomassen, M.M.M., and van den Berg, R.W. 2003. Combined high-pressure and thermal treatments for processing of tomato puree: evaluation of microbial inactivation and quality parameters. *Innovative Food Science and Emerging Technologies* 4: 377-385.

Krebbers, B., Matser, A., Koets, M., Bartels, P., and Van den Berg, R. 2002. High pressure-temperature processing as an alternative for preserving basil. *High Pressure Research* 22: 711-714.

Krebbers, B., Matser, A.M., Koets, M., and Van den Berg, R.W. 2002. Quality and storage-stability of high-pressure preserved green beans. *Journal of Food Engineering* 54: 27-33.

Krešić, G., Lelas, V., Jambrak, A.R., Herceg, Z., and Brnčić, S.R. 2008. Influence of novel food processing technologies on the rheological and thermophysical properties of whey proteins. *Journal of Food Engineering* 87: 64-73.

Kubasek, M., Houska, M., Landfeld, A., Strohalm, J., Kamarad, J., and Zitny, R. 2006. Thermal diffusivity estimation of the olive oil during its high-pressure treatment. *Journal of Food Engineering* 74: 286-291.

Kühn, J., Considine, T., and Singh, H. 2008. Binding of flavor compounds and whey protein isolate as affected by heat and high pressure treatments. *Journal of Agricultural and Food Chemistry* 56: 10218-10224.

Kural, A.G. and Chen, H. 2008. Conditions for a 5-log reduction of *Vibrio vulnificus* in oysters through high hydrostatic pressure treatment. *International Journal of Food Microbiology* 122: 180-187.

Kural, A.G., Shearer, A.E.H, Kingsley, D.H., and Chen, H. 2008. Conditions for high pressure inactivation of *Vibrio parahaemolyticus* in oysters. *International Journal of Food Microbiology* 127: 1-5.

Kurth, L.B. 1986. Effect of pressure heat treatments on cathepsin B1 activity. *Journal of Food Science* 51(3): 663-664, 667.

Kweon, M., Slade, L., and Levine, H. 2008. Role of glassy and crystalline transitions in the responses of corn starches to heat and high pressure treatments: Prediction of solute-induced barostability from solute-induced thermostability. *Carbohydrate Polymers* 72: 293-299.