

High Pressure Processing References - R

- Rada-Mendoza, M., Villamiel, M., Molina, E., and Olano, A. 2006. Effects of heat treatment and high pressure on subsequent lactosylation of β -lactoglobulin. *Food Chemistry* 99: 651-655.
- Rademacher, B. and Hinrichs, J. 2006. Effects of high pressure treatment on indigenous enzymes in bovine milk: Reaction kinetics, inactivation and potential application. *International Dairy Journal* 16: 655-661.
- Rademacher, B., Werner, F., and Pehl, M. 2002. Effect of the pressurizing ramp on the inactivation of *Listeria innocua* considering thermofluidodynamical processes. *Innovative Food Science & Emerging Technologies* 3: 19-24.
- Raghubeer, E.V., Dunne, C.P., Farkas, D.F., and Ting, E.Y. 2000. Evaluation of batch and semicontinuous application of high hydrostatic pressure on foodborne pathogens in salsa. *Journal of Food Protection* 63(12): 1713-1718.
- Ramaswamy, H.S., Riahi, E. 2003. High-pressure inactivation kinetics of polyphenoloxidase in apple juice. *Applied Biotechnology, Food Science and Policy* 1(3): 189-197.
- Ramaswamy, H.S., Riahi, E., and Idziak, E. 2003. High-pressure destruction kinetics of *E. coli* (29055) in apple juice. *Journal of Food Science* 68(5): 1750-1756.
- Ramaswamy, R., Balasubramaniam, V.M., and Sastry, S.K. 2007. Thermal conductivity of selected liquid foods at elevated pressures up to 700 MPa. *Journal of Food Engineering* 83: 444-451.
- Ramaswamy, R., Balasubramaniam, V.M., and Sastry, S.K. 2005. Effect of high pressure and irradiation treatments on hydration characteristics of navy beans. *International Journal of Food Engineering* 1(4): Article 3.
- Ramirez-Suarez, J.C. and Morrissey, M.T. 2006. Effect of high pressure processing (HPP) on shelf life of albacore tuna (*Thunnus alalunga*) minced muscle. *Innovative Food Science and Emerging Technologies* 7: 19-27.
- Rapeanu, G., Van Loey, A., Chantal, S., and Hendrickx, M. 2005. Thermal and high-pressure inactivation kinetics of polyphenol oxidase in Victoria grape must. *Journal of Agricultural and Food Chemistry* 53: 2988-2994.
- Rapeanu, G., Van Loey, A., Smout, C., and Hendrickx M. 2005. Effect of pH on thermal and/or pressure inactivation of Victoria grape (*Vitis vinifera sativa*) polyphenol oxidase: A kinetic study. *Journal of Food Science* 70(5): E301-E307.

- Rasanayagam, V., Balasubramaniam, V.M., Ting, E., Sizer, C.E., Bush, C., and Anderson, C. 2003. Compression heating of selected fatty food materials during high-pressure processing. *Journal of Food Science* 68(1): 254-259.
- Raso, J., and Barbosa-Canovas, G.V. 2003. Nonthermal preservation of foods using combined processing techniques. *Critical Reviews in Food Science and Nutrition* 43(3): 265-285.
- Raso, J., Barbosa-Canovas, G.V., and Swanson, B.G. 1998. Sporulation temperature affects initiation of germination and inactivation by high hydrostatic pressure of *Bacillus cereus*. *Journal of Applied Microbiology* 85: 17-24.
- Raso, J., Calderon, M., Gongora, M.L., Barbosa-Canovas, G.V., and Swanson, B.G. 1998. Inactivation of *Zygosaccharomyces bailii* in fruit juice by heat, high hydrostatic pressure and pulsed electric fields. *Journal of Food Science* 63(6): 1042-1044.
- Raso, J., Gongora-Nieto, M.M., Barbosa-Canovas, G.V., and Swanson, B.G. 1998. Influence of several environmental factors on the initiation of germination and inactivation of *Bacillus cereus* by high hydrostatic pressure. *International Journal of Food Microbiology* 44: 125-132.
- Raso, J., Pagán, R., Condón, S., and Sala, F.J. 1998. Influence of temperature and pressure on the lethality of ultrasound. *Applied and Environmental Microbiology* 64(2): 465-471.
- Raso, J., Papop, A., Pagán, R., and Condón, S. 1998. Inactivation of *Bacillus subtilis* spores by combining ultrasound waves under pressure and mild heat treatment. *Journal of Applied Microbiology* 85: 849-854.
- Rastogi, N.K., Raghavarao, K.S.M.S., Balasubramaniam, V.M., Niranjan, K., and Knorr, D. 2007. Opportunities and challenges in high pressure processing of foods. *Critical Reviews in Food Science and Nutrition* 47: 69-112.
- Reddy, N.R., Tetzloff, R.C., Solomon, H.M., and Larkin, J.W. 2006. Inactivation of *Clostridium botulinum* nonproteolytic type B spores by high pressure processing at moderate to elevated high temperatures. *Innovative Food Science and Emerging Technologies* 7: 169-175.
- Reddy, N.R., Solomon, H.M., Tetzloff, R.C., and Rhodehamel, E.J. 2003. Inactivation of *Clostridium botulinum* Type A spores by high-pressure processing at elevated temperatures. *Journal of Food Protection* 66(8): 1402-1407.
- Reddy, N.R., Solomon, H.M., Fingerhut, G.A., Rhodehamel, E.J., Balasubramaniam, V.M., and Palaniappan, S. 1999. Inactivation of *Clostridium botulinum* type E spores by high pressure processing. *Journal of Food Safety* 19: 277-288.

Reyns, K.M.F.A., Soontjens, C.C.F., Cornelis, K., Weemaes, C.A., Hendrickx, M.E., and Michiels, C.W. 2000. Kinetic analysis and modeling of combined high-pressure-temperature inactivation of the yeast *Zygosaccharomyces bailii*. *International Journal of Food Microbiology* 56: 199-210.

Rice, J. 1999. Technologies take aim at pathogens. *Prepared Foods* 168(9): 40-44.

Ritz, M., Jugiau, F., Federighi, M., Chapleau, N., and De Lamballerie, M. 2008. Effects of high pressure, subzero temperature, and pH on survival of *Listeria monocytogenes* in buffer and smoked salmon. *Journal of Food Protection* 71(8): 1612-1618.

Ritz, M., Pilet, M.F., Jugiau, F., Rama, F., and Federighi, M. 2006. Inactivation of *Salmonella* Typhimurium and *Listeria monocytogenes* using high-pressure treatments: Destruction or sublethal stress? *Letters in Applied Microbiology* 42: 357-362.

Ritz, M., Tholozan, J.L., Federighi, M., and Pilet, M.F. 2002. Physiological damages of *Listeria monocytogenes* treated by high hydrostatic pressure. *International Journal of Food Microbiology* 79: 47-53.

Ritz, M., Tholozan, J.L., Federighi, M., and Pilet, M.F. 2001. Morphological and physiological characterization of *Listeria monocytogenes* subjected to high hydrostatic pressure. *Applied and Environmental Microbiology* 67(5): 2240-2247.

Ritz, M., Freulet, M., Orange, N., and Federighi, M. 2000. Effects of high hydrostatic pressure on membrane proteins of *Salmonella typhimurium*. *International Journal of Food Microbiology* 55: 115-119.

Ritz, M., Jugiau, F., Rama, F., Courcoux, P., Semenou, M., and Federighi, M. 2000. Inactivation of *Listeria monocytogenes* by high hydrostatic pressure: Effects and interactions of treatment variables studies by analysis of variance. *Food Microbiology* 17: 375-382.

Rivas-Cañedo, A., Fernández-García, E., and Nuñez, M. 2009. Volatile compounds in fresh meats subjected to high pressure processing: Effect of the packaging material. *Meat Science* 81: 321-328.

Rivera-Utrilla, J., Ferro-Garcia, M.A., Bautista-Toledo, I., Sanchez-Jimenez, C., Salvador, F., and Merchan, M.D. 2003. Regeneration of *ortho*-chlorophenol-exhausted activated carbons with liquid water at high pressure and temperature. *Water Research* 37: 1905-1911.

Roach, A. and Harte, F. 2008. Disruption and sedimentation of casein micelles and casein micelle isolates under high-pressure homogenization. *Innovative Food Science and Emerging Technologies* 9: 1-8.

- Roberts, C.M. and Hoover, D.G. 1996. Sensitivity of *Bacillus coagulans* spores to combinations of high hydrostatic pressure, heat, acidity and nisin. *Journal of Applied Bacteriology* 81: 363-368.
- Robertson, R.E., Carroll, T., and Pearce, L.E. 2008. *Bacillus* spore inactivation differences after combined mild temperature and high pressure processing using two pressurizing fluids. *Journal of Food Protection* 71(6): 1186-1192.
- Robey, M., Benito, A., Hutson, R.H., Pascual, C., Park, S.F., and Mackey, B.M. 2001. Variation in resistance to high hydrostatic pressure and *rpoS* heterogeneity in natural isolates of *Escherichia coli* O157:H7. *Applied and Environmental Microbiology* 67(10): 4901-4907.
- Robinson, C.R. and Sligar, S.G. 1995. Heterogeneity in molecular recognition by restriction endonucleases: Osmotic and hydrostatic pressure effects on *Bam*HI, *Pvu* II, and *Eco*RV specificity. *Proceedings of the National Academy of Science USA* 92: 3444-3448.
- Robinson, C.R. and Sligar, S.G. 1994. Hydrostatic pressure reverses osmotic pressure effects on the specificity of *Eco*RI-DNA interactions. *Biochemistry* 33(13): 3787-3793.
- Rodiles-López, J.O., Jaramillo-Flores, M.E., Gutiérrez-López, G.F., Hernández-Arana, A., Fosado-Quiroz, R.E., Barbosa-Cánovas, G.V., and Hernández-Sánchez, H. 2008. Effect of high hydrostatic pressure on bovine α -lactalbumin functional properties. *Journal of Food Engineering* 87: 363-370.
- Rodrigo, D., Cortes, C., Clynen, E., Schoofs, L., Van Loey, A., and Hendrickx, M. 2006. Thermal and high-pressure stability of purified polygalacturonase and pectinmethylesterase from four different tomato processing varieties. *Food Research International* 39(4): 440-448.
- Rodrigo, D., Jolie, R., Van Loey, A., and Hendrickx, M. 2006. Combined thermal and high pressure inactivation kinetics of tomato lipoxygenase. *European Food Research and Technology* 222: 636-642.
- Rodriguez, A.C., Larkin, J.W., Dunn, J., Patazca, E., Reddy, N.R., Alvarez-Medina, M., Tetzloff, R., and Fleischman, G.J. 2004. Model of the inactivation of bacterial spores by moist heat and high pressure. *Journal of Food Science* 69(8): E367-373.
- Rodriguez, E., Arques, J.L., Nunez, M., Gaya, P., and Medina, M. 2005. Combined effect of high-pressure treatments and bacteriocin-producing lactic acid bacteria on inactivation of *Escherichia coli* O157:H7 in raw-milk cheese. *Applied and Environmental Microbiology* 71(7): 3399-3404.

Ross, A.I.V., Griffiths, M.W., Mittal, G.S., and Deeth, H.C. 2003. Combining nonthermal technologies to control foodborne microorganisms. *International Journal of Food Microbiology* 89(2-3): 125-138.

Rosypal, A.C., Bowman, D.D., Holliman, D., Flick, G.J., and Lindsay, D.S. 2007. Effects of high hydrostatic pressure on embryonation of *Ascaris suum* eggs. *Veterinary Parasitology* 145: 86-89.

Rouillé, J., Lebail, A., Ramaswamy, H.S., and Leclerc, L. 2002. High Pressure thawing of fish and shellfish. *Journal of Food Engineering* 53: 83-88.

Rovere, P., Maggi, A., Scaramuzza, N., Gola, S., Miglioli, L., Carpi, G., and Dall'Aglio, G. 1996. High-pressure heat treatments: Evaluation of the sterilizing effect and of thermal damage. *Industria Conserve* 71: 473-483.

Rubio, B., Martínez, B., García-Cachán, M.D., Rovira, J., and Jaime, I. 2007. Effect of high pressure preservation on the quality of dry cured beef "Cecina de Leon". *Innovative Food Science and Emerging Technologies* 8: 102-110.

Rubio, B., Martínez, B., García-Cachán, M.D., Rovira, J., and Jaime, I. 2007. The effects of high pressure treatment and of storage periods on the quality of vacuum-packed "salchichón" made of raw material enriched in monounsaturated and polyunsaturated fatty acids. *Innovative Food Science and Emerging Technologies* 8: 180-187.

Ruiz-Capillas, C., Carballo, J., and Colmenero, F.J. 2007. Biogenic amines in pressurized vacuum-packaged cooked sliced ham under different chilled storage conditions. *Meat Science* 75: 397-405.

Ruiz-Capillas, C., Carballo, J., and Colmenero, F.J. 2007. Biogenic amines in pressurized vacuum-packaged cooked sliced ham under different chilled storage conditions. *Meat Science* 75: 397-405.

Ruiz-Capillas, C., Carballo, J., and Jiménez-Colmenero, F. 2007. Consequences of high-pressure processing of vacuum-packaged frankfurters on the formation of polyamines: Effect of chilled storage. *Food Chemistry* 104: 202-208.

Ruiz-Capillas, C., Jiménez Colmenero, F., Carrascosa, A.V., and Muñoz, R. 2007. Biogenic amine production in Spanish dry-cured "chorizo" sausage treated with high-pressure and kept in chilled storage. *Meat Science* 77: 365-371.

Ruiz-Capillas, C., Aller-Guiote, P., Carballo, J., and Colmenero, F.J. 2006. Biogenic amine formation and nitrite reactions in meat batter as affected by high-pressure processing and chilled storage. *Journal of Agricultural and Food Chemistry* 54(26): 9959-9965.

Ruiz-Capillas, C. and Jimenez-Colmenero, F. 2004. Biogenic amine content in Spanish retail market meat products treated with protective atmosphere and high pressure. *European Food Research and Technology* 218: 237-241.

Rusman, H., Gerelt, B., Yamamoto, S., Nishiumi, T., and Suzuki, A. 2007. Combined effects of high pressure and heat on shear value and histological characteristics of bovine skeletal muscle. *Asian-Australasian Journal of Animal Science* 20(6): 994-1001.

Rynne, N.M., Beresford, T.P., Guinee, T.P., Sheehan, E., Delahunty, C.M., and Kelly, A.L. 2008. Effect of high-pressure treatment of 1 day-old full-fat Cheddar cheese on subsequent quality and ripening. *Innovative Food Science and Emerging Technologies* 9: 429-440.