

High Pressure Processing References - S

Saguer, E., Dávila, E., Toldrá, M., Fort, N., Baixas, S., Carretero, C., and Parés, D. 2007. Effectiveness of high pressure processing on the hygienic and technological quality of porcine plasma from biopreserved blood. *Meat Science* 76: 189-193.

Saldo, J., Fernandez, A., Sendra, E., Butz, P., Tauscher, B., and Guamis, B. 2003. High pressure treatment decelerates the lipolysis in a caprine cheese. *Food Research International* 36: 1061-1068.

Saldo, J., McSweeney, P.L.H., Sendra, E., Kelly, A.L., and Guamis, B. 2002. Proteolysis in caprine milk cheese treated by high pressure to accelerate cheese ripening. *International Dairy Journal* 12: 35-44.

Saldo, J., Sendra, E., and Guamis, B. 2002. Changes in water binding in high-pressure treated cheese, measured by TGA (thermogravimetric analysis). *Innovative Food Science & Emerging Technologies* 3: 203-207.

Saldo, J., Sendra, E., and Guamis, B. 2000. High hydrostatic pressure for accelerating ripening of goat's milk cheese: proteolysis and texture. *Journal of Food Science* 65(4): 636-640.

Sale, A.J.H., Gould, G.W., and Hamilton, W.A. 1970. Inactivation of bacterial spores by hydrostatic pressure. *Journal of General Microbiology* 60: 323-334.

Sampedro, F., Rodrigo, D., and Hendrickx, M. 2008. Inactivation kinetics of pectin methyl esterase under combined thermal-high pressure treatment in an orange juice-milk beverage. *Journal of Food Engineering* 86: 133-139.

Sanchez-Moreno, C., Plaza, L., de Ancos, B., and Cano, M.P. 2006. Impact of high-pressure and traditional thermal processing of tomato puree on carotenoids, vitamin C and antioxidant activity. *Journal of the Science of Food and Agriculture* 86: 171-179.

Sanchez-Moreno, C., Plaza, L., de Ancos, B., and Cano, M.P. 2004. Effect of combined treatments of high-pressure and natural additives on carotenoid extractability and antioxidant activity of tomato puree (*Lycopersicon esculentum* Mill.). *European Food Research and Technology* 219: 151-160.

Sanchez-Moreno, C., Plaza, L., de Ancos, B., and Cano, M.P. 2003. Effect of high-pressure processing on health-promoting attributes of freshly squeezed orange juice (*Citrus sinensis* L.) during chilled storage. *European Food Research and Technology* 216: 18-22.

Sanchez-Moreno, C., Plaza, L., de Ancos, B., and Cano, M.P. 2003. Vitamin C, provitamin A carotenoids, and other carotenoids in high-pressurized orange juice during refrigerated storage. *Journal of Agricultural and Food Chemistry* 51: 647-653.

- Sancho, F., Lambert, Y., Demazeau, G., Largeteau, A., Bouvier, J., and Narbonne, J. 1999. Effect of ultra-high hydrostatic pressure on hydrosoluble vitamins. *Journal of Food Engineering* 39: 247-253.
- Sandra, S. and Dalgleish, D.G. 2007. The effects of ultra high-pressure homogenization (UHPH) on rennet coagulation properties of unheated and heated fresh skimmed milk. *International Dairy Journal* 17: 1043-1052.
- Sandra, S., Stanford, M.A. and Meunier Goddik, L. 2004. The use of high-pressure processing in the production of Queso Fresco cheese. *Journal of Food Science* 69(4): FEP153-158.
- San Martin, M.F., Barbosa-Canovas, G.V., and Swanson, B.G. 2002. Food processing by high hydrostatic pressure. *Critical Reviews in Food Science and Nutrition* 42(6): 627-645.
- San Martin-Gonzalez, M.F., Roach, A., and Harte, F. 2009. Rheological properties of corn oil emulsions stabilized by commercial micellar casein and high pressure homogenization. *LWT-Food Science and Technology* 42: 307-311.
- San Martín-González, M.F., Rodríguez, J.J., Gurram, S., Clark, S., Swanson, B.G., and Barbosa-Cánovas, G.V. 2007. Yield, composition and rheological characteristics of cheddar cheese made with high pressure processed milk. *Lebensmittel-Wissenschaft und-Technologie* 40: 697-705.
- Sanz, P.D., Otero, L., de Elvira, C., and Carrasco, J.A. 1997. Freezing processes in high-pressure domains. *International Journal of Refrigeration* 20(5): 301-307.
- Saowapark, S., Apichartsrangkoon, A., and Bell, A.E. 2008. Viscoelastic properties of high pressure and heat induced tofu gels. *Food Chemistry* 107: 984-989.
- Sawamura, S., Kitamura, K., and Taniguchi, Y. 1989. Effect of pressure on the solubilities of benzene and alkylbenzenes in water. *Journal of Physical Chemistry* 93: 4931-4935.
- Scheyhing, C.H., Hormann, S., Ehrmann, M.A., and Vogel, R.F. 2004. Barotolerance is inducible by preincubation under hydrostatic pressure, cold-, osmotic- and acid-stress conditions in *Lactobacillus sanfranciscensis* DSM 20451^T. *Letters in Applied Microbiology* 39: 284-289.
- Schubring, R., Meyer, C., Schluter, O., Boguslawski, S., and Knorr, D. 2003. Impact of high pressure assisted thawing on the quality of fillets from various fish species. *Innovative Food Science and Emerging Technologies* 4: 257-267.
- Schurer, F., Kieffer, R., Wieser, H., and Koehler, P. 2007. Effect of hydrostatic pressure

and temperature on the chemical and functional properties of wheat gluten II. Studies on the influence of additives. *Journal of Cereal Science* 46: 39-48.

Scollard, P.G., Beresford, T.P., Needs, E.C., Murphy, P.M., and Kelly, A.L. 2000. Plasmin activity, β -lactoglobulin denaturation and proteolysis in high pressure treated milk. *International Dairy Journal* 10: 835-841.

Scurrah, K.J., Robertson, R.E., Craven, H.M., Pearce, L.E., and Szabo, E.A. 2006. Inactivation of *Bacillus* spores in reconstituted skim milk by combined high pressure and heat treatment. *Journal of Applied Microbiology* 101: 172-180.

Sebert, P., Simon, B., and Pequeux, A. 1997. Effects of hydrostatic pressure on energy metabolism and osmoregulation in crab and fish. *Comparative Biochemistry and Physiology* 116A(4):281-290.

Sebert, P., Barthelemy, L., Caroff, J., and Hourmant, A. 1987. Effects of hydrostatic pressure per se (101 ATA) on energetic processes in fish. *Comparative Biochemistry and Physiology* 86A(3): 491-495.

Sequeira-Munoz, A., Chevalier, D., LeBail, A., Ramaswamy, H.S., and Simpson, B.K. 2006. Physicochemical changes induced in carp (*Cyprinus carpio*) fillets by high pressure processing at low temperature. *Innovative Food Science and Emerging Technologies* 7: 13-18.

Serra, M., Trujillo, A.J., Guamis, B., and Ferragut, V. 2009. Evaluation of physical properties during storage of set and stirred yogurts made from ultra-high pressure homogenization-treated milk. *Food Hydrocolloids* 23: 82-91.

Serra, M., Trujillo, A.J., Jaramillo, P.D., Guamis, B., and Ferragut, V. 2008. Ultra-high pressure homogenization-induced changes in skim milk: Impact on acid coagulation properties. *Journal of Dairy Research* 75: 69-75.

Serra, X., Sarraga, C., Grebol, N., Guardia, M.D., Guerrero, L., Gou, P., Masoliver, P., Gassiot, M., Monfort, J.M., and Arnau, J. 2007. High pressure applied to frozen ham at different process stages. 1. Effect on the final physicochemical parameters and on the antioxidant and proteolytic enzyme activities of dry-cured ham. *Meat Science* 75: 12-20.

Serra, X., Grebol, N., Guardia, M.D., Guerrero, L., Gou, P., Masoliver, P., Gassiot, M., Sarraga, C., Monfort, J.M., and Arnau, J. 2007. High pressure applied to frozen ham at different process stages. 2. Effect on the sensory attributes and on the colour characteristics of dry-cured ham. *Meat Science* 75: 21-28.

Seyderhelm, L., Boguslawski, S., Michaelis, G., and Knorr, D. 1996. Pressure induced inactivation of selected food enzymes. *Journal of Food Science* 61(2): 308-310.

Shaker, R.R., Osaili, T.M., Clark, S., Harte, F.M., and Barbosa-Canovas, G.V. 2008. Rheological properties of rennet-induced milk gels as affected by high pressure treatment at different temperatures. *Journal of Food, Agriculture and Environment* 6(2): 86-91.

Shao, Y., Ramaswamy, H.S., and Zhu, S. 2007. High-pressure destruction kinetics of spoilage and pathogenic bacteria in raw milk cheese. *Journal of Food Process Engineering* 30: 357-374.

Sharma, A., Scott, J.H., Cody, G.D., Fogel, M.L., Hazen, R.M., Hemley, R.J., and Huntress, W.T. 2002. Microbial activity at gigapascal pressures. *Science* 295: 1514-1516.

Sharma, M., Shearer, A.E.H., Hoover, D.G., Liu, M.N., Solomon, M.B., and Kniel, K.E. 2008. Comparison of hydrostatic and hydrodynamic pressure to inactivate foodborne viruses. *Innovative Food Science and Emerging Technologies* 9: 418-422.

Shearer, A.E.H., Wilkins, G.C., Jenkins, M.C., and Kniel, K.E. 2007. Effects of high hydrostatic pressure on *Eimeria acervulina* pathogenicity, immunogenicity and structural integrity. *Innovative Food Science and Emerging Technologies* 8: 259-268.

Shearer, A.E.H., Dunne, C.P., Sikes, A., and Hoover, D.G. 2000. Bacterial spore inhibition and inactivation in foods by pressure, chemical preservatives, and mild heat. *Journal of Food Protection* 63(11): 1503-1510.

Sheehan, J.J., Huppertz, T., Hayes, M.G., Kelly, A.L., Beresford, T.P., and Guinee, T.P. 2005. High pressure treatment of reduced-fat Mozzarella cheese: Effects on functional and rheological properties. *Innovative Food Science and Emerging Technologies* 6: 73-81.

Sheldon, T.A., Boardman, G.D., Flick, G.J., and Gallagher, D.L. 2008. Effect of high hydrostatic pressure processing on freely suspended and bivalve-associated T7 bacteriophage. *Journal of Food Protection* 71(2): 345-350.

Shen, T., Urrutia Benet, G., Brul, S., and Knorr, D. 2005. Influence of high-pressure-low-temperature treatment on the inactivation of *Bacillus subtilis* cells. *Innovative Food Science and Emerging Technologies* 6: 271-278.

Shigehisa, T., Ohmori, T., Saito, A., Taji, S., and Hayashi, R. 1991. Effects of high hydrostatic pressure on characteristics of pork slurries and inactivation of microorganisms associated with meat and meat products. *International Journal of Food Microbiology* 12: 207-216.

Shigeta, Y., Aoyama, Y., Okazaki, T., Matsui, T., and Namba, K. 2008. Growth inhibition of microorganisms by hydrostatic pressure in autolytic hydrolysis of unsalted squid liver. *Nippon Shokuhin Kagaku Kogaku Kaishi* 55(3): 117-120.

Shimada, S., Andou, M., Naito, N., Yamada, N., Osumi, M., and Hayashi, R. 1993. Effects of hydrostatic pressure on the ultrastructure and leakage of internal substances in the yeast *Saccharomyces cerevisiae*. *Applied Microbiology and Biotechnology* 40: 123-131.

Shinitzky, M., and Goldman, Y. 2000. Immunotherapy of cancer with pressure modified cells. *Israel Medical Association Journal* 2: 615-620.

Shirgaonkar, I.Z., Lothe, R.R., and Pandit, A.B. 1998. Comments on the mechanism of microbial cell disruption in high-pressure and high-speed devices. *Biotechnology Progress* 14: 657-660.

Shook, C.M., Shellhammer, T.H., and Schwartz, S.J. 2001. Polygalacturonase, pectinesterase, and lipoxygenase activities in high-pressure-processed diced tomatoes. *Journal of Agricultural and Food Chemistry* 49: 664-668.

Shouqin, Z., Ruizhan, C., and Changzheng, W. 2007. Experiment study on ultrahigh pressure extraction of Ginsenosides. *Journal of Food Engineering* 79: 1-5.

Siddiqi, S.F., Titchener-Hooker, N.J., and Shamlou, P.A. 1997. High pressure disruption of yeast cells: The use of scale down operations for the prediction of protein release and cell debris size distribution. *Biotechnology and Bioengineering* 55(4): 642-649.

Sila, D.N., Duvetter, T., de Roeck, A., Verlent, I., Smout, C., Moates, G.K., Hills, B.P., Waldron, K.K., Hendrickx, M., and Van Loey, A. 2008. Texture changes of processed fruits and vegetables: Potential use of high-pressure processing. *Trends in Food Science and Technology* 19: 309-319.

Sila, D.N., Smout, C., Satara, Y., Truong, V., Van Loey, A., and Hendrickx, M. 2007. Combined thermal and high pressure effect on carrot pectinmethylesterase stability and catalytic activity. *Journal of Food Engineering* 78: 755-764.

Sila, D.N., Yue, X., van Buggenhout, S., Smout, C., van Loey, A., and Hendrickx, M. 2007. The relation between (bio-)chemical, morphological, and mechanical properties of thermally processed carrots as influenced by high-pressure pretreatment condition. *European Food Research Technology* 226: 127-135.

Sila, D.N., Dounghla, E., Smout, C., Van Loey, A., and Hedrickx, M. 2006. Pectin fraction interconversions: Insight into understanding texture evolution of thermally processed carrots. *Journal of Agricultural and Food Chemistry* 54: 8471-8479.

Silva, C., Giongo, V., Simpson, A., Camargos, E., Silva, J.L., and Koury, M. 2001. Effects of hydrostatic pressure on the *Leptospira interrogans*: High immunogenicity of the pressure-inactivated serovar *hardjo*. *Vaccine* 19: 1511-1514.

Silva, J.L., Foguel, D., Suarez, M., Gomes, A., and Oliveira, A.C. 2004. High-pressure

applications in medicine and pharmacology. *Journal of Physics: Condensed Matter* 16: S929-S944.

Silva, J.L., Foguel, D., and Royer, C.A. 2001. Pressure provides new insights into protein folding, dynamics and structure. *Trends in Biochemical Sciences* 26(10): 612-618.

Silva, J.L., Foguel, D., Da Poian, A., and Prevelige, P.E. 1996. The use of hydrostatic pressure as a tool to study viruses and other macromolecular assemblages. *Structural Biology* 6: 166-175.

Silva, J.L., Luan, P., Glaser, M., Voss, E.W., and Weber, G. 1992. Effects of hydrostatic pressure on a membrane-enveloped virus: high immunogenicity of the pressure-inactivated virus. *Journal of Virology* 66(4): 2111-2117.

Simon, B., Sebert, P., and Barthelemy, L. 1989. Effects of long-term exposure to hydrostatic pressure per se (101 ATA) on eel metabolism. *Canadian Journal of Physiology and Pharmacology* 67: 1247-1251.

Simpson, R.K. and Gilmour, A. 1997. The effect of high hydrostatic pressure on *Listeria monocytogenes* in phosphate-buffered saline and model food systems. *Journal of Applied Microbiology* 83: 181-188.

Simpson, R.K. and Gilmour, A. 1997. The effect of high hydrostatic pressure on the activity of intracellular enzymes of *Listeria monocytogenes*. *Letters in Applied Microbiology* 25: 48-53.

Simpson, R.K. and Gilmour, A. 1997. The resistance of *Listeria monocytogenes* to high hydrostatic pressure in foods. *Food Microbiology* 14: 567-573.

Sironen, R., Karjalainen, H., Torronen, K., Elo, M., Kaarniranta, K., Takigawa, M., Helminen, H., and Lammi, M. 2002. High pressure effects on cellular expression profile and mRNA stability. A cDNA array analysis. *Biorheology* 39: 111-117.

Sivanandan, L., Toledo, R.T., and Singh, R.K. 2008. Effect of continuous flow high-pressure throttling on rheological and ultrastructural properties of soymilk. *Journal of Food Science* 73(6): E288-E296.

Sizer, C.E., Balasubramaniam, V.M., and Ting, E. 2002. Validating high-pressure processes for low-acid foods. *Food Technology* 56(2): 36-42.

Sizer, C.E. and Balasubramaniam, V.M. 1999. New intervention processes for minimally processed juices. *Food Technology* 53(1): 64-67.

Slifko, T.R., Raghubeer, E., and Rose, J.B. 2000. Effect of high hydrostatic pressure on *Cryptosporidium parvum* infectivity. *Journal of Food Protection* 63(9): 1262-1267.

Slongo, A.P., Rosenthal, A., Camargo, L.M.Q., Deliza, R., Mathias, S.P., and de Aragao, G.M.F. 2009. Modeling the growth of lactic acid bacteria in sliced ham processed by high hydrostatic pressure. *LWT-Food Science and Technology* 42: 303-306.

Smelt, J.P.P.M. 1998. Recent advances in the microbiology of high pressure processing. *Trends in Food Science & Technology* 9: 152-158.

Smelt, J.P.P.M. and Rijke, G.G.F. 1992. High pressure treatment as a tool for pasteurization of foods. *High Pressure and Biotechnology* 224: 361-364.

Smiddy, M.A., Martin, J.E., Huppertz, T., and Kelly, A.L. 2007. Microbial shelf-life of high-pressure-homogenised milk. *International Dairy Journal* 17: 29-32.

Smiddy, M., O'Gorman, L., Sleator, R.D., Kerry, J.P., Patterson, M.F., Kelly, A.L., and Hill, C. 2005. Greater high-pressure resistance of bacteria in oysters than in buffer. *Innovative Food Science and Emerging Technologies* 6: 83-90.

Soini, S.M., Koskinen, K.T., Vilenius, M.J., and Puhakka, J.A. 2002. Effects of high and fluctuating pressure on microbial abundance and activity in a water hydraulic system. *Applied Microbiology and Biotechnology* 58: 669-674.

Somolinos, M., García, D., Pagán, R., and Mackey, B. 2008. Relationship between sublethal injury and microbial inactivation by the combination of high hydrostatic pressure and citral or *tert*-butyl hydroquinone. *Applied and Environmental Microbiology* 74(24): 7570-7577.

Sonoike, K., Setoyama, T., Kuma, Y. and Kobayashi, S. 1992. Effect of pressure and temperature on the death rates of *Lactobacillus casei* and *Escherichia coli*. *High Pressure and Biotechnology* 224: 297-300.

Soysal, C., Soylemez, Z., and Bozoglu, F. 2004. Effect of high hydrostatic pressure and temperature on carrot peroxidase inactivation. *European Food Research and Technology* 218: 152-156.

Speers-Roesch, B., Lingwood, D., and Stevens, E.D. 2004. Effects of temperature and hydrostatic pressure on routine oxygen uptake of the bloater (*Coregonus hoyi*). *Journal of Great Lakes Research* 30(1): 70-81.

Spilimbergo, S., Dehghani, F., Bertucco, A., and Foster, N.R. 2003. Inactivation of bacteria and spores by pulse electric field and high pressure CO₂ at low temperature. *Biotechnology and Bioengineering* 82(1): 118-125.

Spilimbergo, S., Elvassore, N., and Bertucco, A. 2002. Microbial inactivation by high-pressure. *Journal of Supercritical Fluids* 22: 55-63.

- Stapelfeldt, H., Petersen, P.H., Kristiansen, K.R., Qvist, K.B. and Skibsted, L.H. 1996. Effect of high hydrostatic pressure on the enzymic hydrolysis of β -lactoglobulin B by trypsin, thermolysin and pepsin. *Journal of Dairy Research* 63: 111-118.
- Stewart, C.M., Dunne, C.P., Sikes, A., and Hoover, D.G. 2000. Sensitivity of spores of *Bacillus subtilis* and *Clostridium sporogenes* PA 3679 to combinations of high hydrostatic pressure and other processing parameters. *Innovative Food Science & Emerging Technologies* 1: 49-56.
- Stewart, C.M., Jewett, F.F., Dunne, C.P., and Hoover, D.G. 1997. Effect of concurrent high hydrostatic pressure, acidity and heat on the injury and destruction of *Listeria monocytogenes*. *Journal of Food Safety* 17: 23-26.
- Stolt, M., Stoforos, N.G., Taoukis, P.S., and Autio, K. 1999. Evaluation and modeling of rheological properties of high pressure treated waxy maize starch dispersions. *Journal of Food Engineering* 40: 293-298.
- Styles, M.F., Hoover, D.G., and Farkas, D.F. 1991. Response of *Listeria monocytogenes* and *Vibrio parahaemolyticus* to high hydrostatic pressure. *Journal of Food Science* 56(5): 1404-1407.
- Subramanian, A., Ahn, J., Balasubramaniam, V.M., and Rodriguez-Saona, L. 2007. Monitoring biochemical changes in bacterial spore during thermal and pressure-assisted thermal processing using FT-IR spectroscopy. *Journal of Agricultural and Food Chemistry* 55(22): 9311-9317.
- Subramanian, A., Ahn, J., Balasubramaniam, V.M., and Rodriguez-Saona, L. 2006. Determination of spore inactivation during thermal and pressure-assisted thermal processing using FT-IR spectroscopy. *Journal of Agricultural and Food Chemistry* 54: 10300-10306.
- Supavititpatana, T. and Apichartsrangkoon, A. 2007. Combination effects of ultra-high pressure and temperature on the physical and thermal properties of ostrich meat sausage (yor). *Meat Science* 76: 555-560.
- Suzuki, T., Watanabe, M., and Ikeuchi, Y. 1993. Effects of high pressure treatment on the thermal behavior of beef intramuscular collagen. *Meat Science* 35: 17-25.
- Suzuki, T. and Macfarlane, J.J. 1984. Modification of the heat-setting characteristics of myosin by pressure treatment. *Meat Science* 11: 263-274.
- Swientek, R.J. 1992. High hydrostatic pressure for food preservation. *Food Processing* 53: 90-91.